

# Package ‘mcgf’

August 21, 2026

**Title** Markov Chain Gaussian Fields Simulation and Parameter Estimation

**Version** 1.2.0

**Description** Simulating and estimating (regime-switching) Markov chain Gaussian fields with spatio-temporal covariance functions of the Gneiting class (Gneiting 2002) <[doi:10.1198/016214502760047113](https://doi.org/10.1198/016214502760047113)>, including the regime-switching framework of Jia and Sezer (2025) <[doi:10.1063/5.0285012](https://doi.org/10.1063/5.0285012)>. It supports parameter estimation by weighted least squares and approximate conditional maximum likelihood methods, and produces Kriging forecasts and intervals for existing and new locations.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Suggests** testthat (>= 3.0.0), doParallel (>= 1.0.17), foreach (>= 1.5.2), parallel (>= 4.3.1), knitr, rmarkdown, lubridate, dplyr, Rsolnp

**Config/testthat/edition** 3

**Imports** MASS, sp

**Depends** R (>= 4.0.0)

**LazyData** true

**URL** <https://github.com/tianxia-jia/mcgf>,  
<https://tianxia-jia.github.io/mcgf/>

**BugReports** <https://github.com/tianxia-jia/mcgf/issues>

**VignetteBuilder** knitr

**Config/roxygen2/version** 8.1.0

**NeedsCompilation** no

**Author** Tianxia Jia [aut, cre, cph] (ORCID:  
<<https://orcid.org/0000-0001-5430-5019>>)

**Maintainer** Tianxia Jia <[tylarjia@outlook.com](mailto:tylarjia@outlook.com)>

**Repository** CRAN

**Date/Publication** 2026-08-21 21:00:16 UTC

## Contents

|                             |    |
|-----------------------------|----|
| acfs . . . . .              | 3  |
| acfs.mcgf . . . . .         | 4  |
| acf_rs . . . . .            | 5  |
| add_base . . . . .          | 6  |
| add_base.mcgf . . . . .     | 6  |
| add_base.mcgf_rs . . . . .  | 8  |
| add_lagr . . . . .          | 10 |
| add_lagr.mcgf . . . . .     | 11 |
| add_lagr.mcgf_rs . . . . .  | 12 |
| ccfs . . . . .              | 13 |
| ccfs.mcgf . . . . .         | 14 |
| ccf_rs . . . . .            | 16 |
| ccov . . . . .              | 16 |
| ccov.mcgf . . . . .         | 17 |
| ccov.mcgf_rs . . . . .      | 18 |
| cor2cov . . . . .           | 19 |
| cor_cauchy . . . . .        | 20 |
| cor_exp . . . . .           | 21 |
| cor_fs . . . . .            | 22 |
| cor_lagr_askey . . . . .    | 23 |
| cor_lagr_exp . . . . .      | 24 |
| cor_lagr_tri . . . . .      | 25 |
| cor_sep . . . . .           | 27 |
| cor_stat . . . . .          | 28 |
| cor_stat_rs . . . . .       | 30 |
| dists . . . . .             | 32 |
| dists.mcgf . . . . .        | 33 |
| find_dists . . . . .        | 34 |
| find_dists_new . . . . .    | 35 |
| fit_base . . . . .          | 36 |
| fit_base.mcgf . . . . .     | 37 |
| fit_base.mcgf_rs . . . . .  | 39 |
| fit_lagr . . . . .          | 42 |
| fit_lagr.mcgf . . . . .     | 42 |
| fit_lagr.mcgf_rs . . . . .  | 44 |
| is.mcgf . . . . .           | 47 |
| is.mcgf_rs . . . . .        | 47 |
| krige . . . . .             | 48 |
| krige.mcgf . . . . .        | 49 |
| krige.mcgf_rs . . . . .     | 51 |
| krige_new . . . . .         | 53 |
| krige_new.mcgf . . . . .    | 53 |
| krige_new.mcgf_rs . . . . . | 56 |
| mcgf . . . . .              | 58 |
| mcgf_rs . . . . .           | 59 |
| mcgf_rs_sim . . . . .       | 60 |

|                      |           |
|----------------------|-----------|
| <i>acfs</i>          | 3         |
| mcgf_sim . . . . .   | 62        |
| model . . . . .      | 64        |
| model.mcgf . . . . . | 64        |
| print.mcgf . . . . . | 65        |
| rdists . . . . .     | 66        |
| sds . . . . .        | 67        |
| sds.mcgf . . . . .   | 67        |
| sd_rs . . . . .      | 68        |
| sim1 . . . . .       | 69        |
| sim2 . . . . .       | 70        |
| sim3 . . . . .       | 72        |
| wind . . . . .       | 74        |
| <b>Index</b>         | <b>75</b> |

---

|             |                                                         |
|-------------|---------------------------------------------------------|
| <i>acfs</i> | <i>Generic function for calculating autocorrelation</i> |
|-------------|---------------------------------------------------------|

---

**Description**

Generic function for calculating autocorrelation

**Usage**

`acfs(x, ...)`

**Arguments**

- `x`                   An **R** object.
- `...`               Additional parameters or attributes.

**Details**

Refer to `acfs.mcgf()` and `acfs.mcgf_rs()` for more details.

**Value**

A vector of mean auto-correlations for `mcgf` objects, or that plus a list of regime-switching mean auto-correlations for `mcgf_rs` objects.

---

|           |                                                                                           |
|-----------|-------------------------------------------------------------------------------------------|
| acfs.mcgf | <i>Extract, calculate, or assign mean auto-correlations for an mcgf or mcgf_rs object</i> |
|-----------|-------------------------------------------------------------------------------------------|

---

## Description

Extract, calculate, or assign mean auto-correlations for an mcgf or mcgf\_rs object

## Usage

```
## S3 method for class 'mcgf'
acfs(x, lag_max, replace = FALSE, ...)

## S3 method for class 'mcgf_rs'
acfs(x, lag_max, replace = FALSE, ...)

acfs(x) <- value

add_acfs(x, lag_max, ...)
```

## Arguments

|         |                                                                      |
|---------|----------------------------------------------------------------------|
| x       | An mcgf or mcgf_rs object.                                           |
| lag_max | Maximum lag at which to calculate the acf.                           |
| replace | Logical; if TRUE, acfs are recalculated.                             |
| ...     | Additional parameters or attributes.                                 |
| value   | A Vector of mean of auto-correlations for time lags starting from 0. |

## Details

For mcgf objects, `acfs()` computes mean auto-correlations for each time lag across locations. The output is a vector of acfs.

For mcgf\_rs objects, `acfs()` computes regime-switching mean auto-correlations for each time lag across locations. The output is a list of vectors of acfs, where each vector in the list corresponds to the acfs for a regime.

`acfs<-` assigns acfs to x.

`add_acfs()` adds acfs to x.

## Value

`acfs()` returns (regime-switching) mean auto-correlations. `add_acfs()` returns the same object with additional attributes of (regime-switching) mean auto-correlations.

**Examples**

```
# Calculate acfs for 'sim1'
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
acfs(sim1_mcgf, lag_max = 5)

# Add acfs to 'sim1_mcgf'
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
print(sim1_mcgf, "acfs")

# Calculate acfs for 'sim2'
data(sim2)
sim2_mcgf <- mcgf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
acfs(sim2_mcgf, lag_max = 5)

# Add acfs to 'sim2_mcgf'
sim2_mcgf <- add_acfs(sim2_mcgf, lag_max = 5)
print(sim2_mcgf, "acfs")
```

acf\_rs

*Calculate regime-switching auto-correlation***Description**

Calculate regime-switching auto-correlation

**Usage**

```
acf_rs(x, label, lag_max, demean = TRUE)
```

**Arguments**

|         |                                                            |
|---------|------------------------------------------------------------|
| x       | A univariate numeric time series.                          |
| label   | A factor of regime labels.                                 |
| lag_max | Maximum lag at which to calculate the acf.                 |
| demean  | Logical. Should the covariances be about the sample means? |

**Value**

Mean auto-correlations for each group in label.

**Examples**

```
set.seed(123)
x <- rnorm(100)
label <- sample(1:2, 100, replace = TRUE)
acf_rs(x, label = factor(label), lag_max = 3)
```

---

|          |                                                 |
|----------|-------------------------------------------------|
| add_base | <i>Generic function for adding a base model</i> |
|----------|-------------------------------------------------|

---

## Description

Generic function for adding a base model

## Usage

```
add_base(x, ...)
```

## Arguments

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

## Details

Refer to [add\\_base.mcgf\(\)](#) and [add\\_base.mcgf\\_rs\(\)](#) for more details.

## Value

x with the newly added base model.

---

|               |                                                                                    |
|---------------|------------------------------------------------------------------------------------|
| add_base.mcgf | <i>Add base model outputted from <a href="#">fit_base()</a> to an mcgf object.</i> |
|---------------|------------------------------------------------------------------------------------|

---

## Description

Add base model outputted from [fit\\_base\(\)](#) to an mcgf object.

## Usage

```
## S3 method for class 'mcgf'
add_base(x, fit_base, fit_s, fit_t, sep = FALSE, old = FALSE, ...)

base(x) <- value
```

**Arguments**

|                       |                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>        | An mcgf object.                                                                                                                                                   |
| <code>fit_base</code> | Output from the <code>fit_base()</code> function.                                                                                                                 |
| <code>fit_s</code>    | Pure spatial model outputted from the <code>fit_base()</code> function. Used only when <code>sep = TRUE</code> .                                                  |
| <code>fit_t</code>    | Pure temporal model outputted from the <code>fit_base()</code> function. Used only when <code>sep = TRUE</code> .                                                 |
| <code>sep</code>      | Logical; TRUE if spatial and temporal models are fitted separately.                                                                                               |
| <code>old</code>      | Logical; TRUE if the old base model needs to be kept.                                                                                                             |
| <code>...</code>      | Additional arguments. Not in use.                                                                                                                                 |
| <code>value</code>    | A list containing the base model as well as its parameters. It must contains the same output as <code>add_base.mcgf()</code> or <code>add_base.mcgf_rs()</code> . |

**Details**

After fitting the base model by `fit_base()`, the results can be added to `x` by `add_base()`. To supply the base model directly, use `base<-` to add the base model; the value must contain model, `par_base`, `cor_base`, `lag`, and `horizon`.

**Value**

`x` with newly added attributes of the base model.

**See Also**

Other functions on fitting an mcgf: `add_lagr.mcgf()`, `fit_base.mcgf()`, `fit_lagr.mcgf()`, `krige.mcgf()`, `krige_new.mcgf()`

**Examples**

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a pure spatial model
fit_spatial <- fit_base(
  sim1_mcgf,
  model = "spatial",
  lag = 5,
  par_init = c(c = 0.001, gamma = 0.5),
  par_fixed = c(nugget = 0)
)
# Fit a pure temporal model
fit_temporal <- fit_base(
  sim1_mcgf,
  model = "temporal",
  lag = 5,
```

```

    par_init = c(a = 0.3, alpha = 0.5)
  )

  # Store the fitted models to 'siml_mcgrf'
  siml_mcgrf <-
    add_base(siml_mcgrf,
      fit_s = fit_spatial,
      fit_t = fit_temporal,
      sep = TRUE
    )

  # Fit a separable model
  fit_sep <- fit_base(
    siml_mcgrf,
    model = "sep",
    lag = 5,
    par_init = c(
      c = 0.001,
      gamma = 0.5,
      a = 0.3,
      alpha = 0.5
    ),
    par_fixed = c(nugget = 0)
  )
  # Store the newly fitted model, and keep the old fit
  siml_mcgrf <- add_base(siml_mcgrf, fit_base = fit_sep, old = TRUE)
  model(siml_mcgrf, model = "base", old = TRUE)

```

---

add\_base.mcgrs

Add base model outputted from `fit_base()` to an mcgrs object.

---

## Description

Add base model outputted from `fit_base()` to an mcgrs object.

## Usage

```

## S3 method for class 'mcgrs'
add_base(x, fit_base_ls, fit_s_ls, fit_t_ls, sep = FALSE, old = FALSE, ...)

```

## Arguments

|                          |                                                                                                                   |
|--------------------------|-------------------------------------------------------------------------------------------------------------------|
| <code>x</code>           | An mcgrs object.                                                                                                  |
| <code>fit_base_ls</code> | Output from the <code>fit_base()</code> function.                                                                 |
| <code>fit_s_ls</code>    | Pure spatial model outputted from the <code>fit_base()</code> function. Used only when <code>sep = TRUE</code> .  |
| <code>fit_t_ls</code>    | Pure temporal model outputted from the <code>fit_base()</code> function. Used only when <code>sep = TRUE</code> . |

|     |                                                                                                                                                 |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------|
| sep | Logical; TRUE if spatial and temporal models are fitted separately.                                                                             |
| old | Logical; TRUE if the old base model needs to be kept. The lag and horizon of the new model are assumed to be the same as that of the old model. |
| ... | Additional arguments. Not in use.                                                                                                               |

### Details

This function is equivalent to `add_base.mcgrf()` for `mcgrf_rs` objects.

After fitting the base model by `fit_base()`, the results can be added to `x` by `add_base()`. To supply the base model directly, use `base<-` to add the base model; the value must contain the same output as `add_base.mcgrf()` or `add_base.mcgrf_rs()`.

### Value

`x` with newly added attributes of the base model.

### See Also

Other functions on fitting an `mcgrf_rs`: `add_lagr.mcgrf_rs()`, `fit_base.mcgrf_rs()`, `fit_lagr.mcgrf_rs()`, `krige.mcgrf_rs()`, `krige_new.mcgrf_rs()`

### Examples

```
data(sim2)
sim2_mcgrf <- mcgrf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
sim2_mcgrf <- add_acfs(sim2_mcgrf, lag_max = 5)
sim2_mcgrf <- add_ccfs(sim2_mcgrf, lag_max = 5)

# Fit a regime-switching pure spatial model
fit_spatial <-
  fit_base(
    sim2_mcgrf,
    lag_ls = 5,
    model_ls = "spatial",
    par_init_ls = list(c(c = 0.00005, gamma = 0.5)),
    par_fixed_ls = list(c(nugget = 0))
  )

# Fit a regime-switching pure temporal model
fit_temporal <-
  fit_base(
    sim2_mcgrf,
    lag_ls = 5,
    model_ls = "temporal",
    par_init_ls = list(
      list(a = 0.8, alpha = 0.8),
      list(a = 0.1, alpha = 0.1)
    )
  )

# Store the fitted models to 'sim2_mcgrf'
```

```

sim2_mcgf <- add_base(sim2_mcgf,
  fit_s_ls = fit_spatial,
  fit_t_ls = fit_temporal,
  sep = TRUE
)

# Fit a regime-switching separable model
fit_sep <- fit_base(
  sim2_mcgf,
  lag_ls = 5,
  model_ls = "sep",
  par_init_ls = list(list(
    c = 0.00005,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.5
  )),
  par_fixed_ls = list(c(nugget = 0))
)

# Store the newly fitted model, and keep the old fit
sim2_mcgf <- add_base(sim2_mcgf, fit_base_ls = fit_sep, old = TRUE)
model(sim2_mcgf, model = "base", old = TRUE)

```

---

add\_lagr

*Generic function for adding a Lagrangian model*


---

## Description

Generic function for adding a Lagrangian model

## Usage

```
add_lagr(x, ...)
```

## Arguments

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

## Details

Refer to [add\\_lagr.mcgf\(\)](#) and [add\\_lagr.mcgf\\_rs\(\)](#) for more details.

## Value

x with the newly added Lagrangian model.

---

|               |                                                                            |
|---------------|----------------------------------------------------------------------------|
| add_lagr.mcgf | Add lagr model outputted from <a href="#">fit_lagr()</a> to a mcgf object. |
|---------------|----------------------------------------------------------------------------|

---

## Description

Add lagr model outputted from [fit\\_lagr\(\)](#) to a mcgf object.

## Usage

```
## S3 method for class 'mcgf'
add_lagr(x, fit_lagr, ...)

lagr(x) <- value
```

## Arguments

|          |                                                                                                             |
|----------|-------------------------------------------------------------------------------------------------------------|
| x        | An mcgf object.                                                                                             |
| fit_lagr | Output from the <a href="#">fit_lagr()</a> function.                                                        |
| ...      | Additional arguments. Not in use.                                                                           |
| value    | A list containing the lagr model as well as its parameters. It must contains model, par_lagr, and cor_lagr. |

## Value

x with newly added attributes of the Lagrangian model.

## See Also

Other functions on fitting an mcgf: [add\\_base.mcgf\(\)](#), [fit\\_base.mcgf\(\)](#), [fit\\_lagr.mcgf\(\)](#), [krige.mcgf\(\)](#), [krige\\_new.mcgf\(\)](#)

## Examples

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a separable model and store it to 'sim1_mcgf'
fit_sep <- fit_base(
  sim1_mcgf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
```

```

    ),
    par_fixed = c(nugget = 0)
  )
sim1_mcgrf <- add_base(sim1_mcgrf, fit_base = fit_sep)

# Fit a Lagrangian model
fit_lagr <- fit_lagr(
  sim1_mcgrf,
  model = "lagr_tri",
  par_init = c(v1 = 300, v2 = 300, lambda = 0.15),
  par_fixed = c(k = 2)
)

# Store the fitted Lagrangian model to 'sim1_mcgrf'
sim1_mcgrf <- add_lagr(sim1_mcgrf, fit_lagr = fit_lagr)
model(sim1_mcgrf, old = TRUE)

```

---

|                |                                                                             |
|----------------|-----------------------------------------------------------------------------|
| add_lagr.mcgrs | Add lagr model outputted from <a href="#">fit_lagr()</a> to a mcgrs object. |
|----------------|-----------------------------------------------------------------------------|

---

## Description

Add lagr model outputted from [fit\\_lagr\(\)](#) to a mcgrs object.

## Usage

```
## S3 method for class 'mcgrs'
add_lagr(x, fit_lagr_ls, ...)
```

## Arguments

|             |                                                      |
|-------------|------------------------------------------------------|
| x           | An mcgrs object.                                     |
| fit_lagr_ls | Output from the <a href="#">fit_lagr()</a> function. |
| ...         | Additional arguments. Not in use.                    |

## Details

This function is equivalent to [add\\_lagr.mcgrf\(\)](#) for mcgrf objects.

After fitting the Lagrangian model by [fit\\_lagr\(\)](#), the results can be added to x by [add\\_lagr\(\)](#). To supply the Lagrangian model directly, use `lagr<-` to add the Lagrangian model; the value must contain the same output as [add\\_lagr.mcgrf\(\)](#) or [add\\_lagr.mcgrs\(\)](#).

## Value

x with newly added attributes of the Lagrangian model.

### See Also

Other functions on fitting an `mcgf_rs`: `add_base.mcgf_rs()`, `fit_base.mcgf_rs()`, `fit_lagr.mcgf_rs()`, `krige.mcgf_rs()`, `krige_new.mcgf_rs()`

### Examples

```
data(sim3)
sim3_mcgf <- mcgf_rs(sim3$data, dists = sim3$dists, label = sim3$label)
sim3_mcgf <- add_acfs(sim3_mcgf, lag_max = 5)
sim3_mcgf <- add_ccfs(sim3_mcgf, lag_max = 5)

# Fit a fully symmetric model with known variables
fit_fs <- fit_base(
  sim3_mcgf,
  lag_ls = 5,
  model_ls = "fs",
  rs = FALSE,
  par_init_ls = list(list(beta = 0)),
  par_fixed_ls = list(list(
    nugget = 0,
    c = 0.05,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.2
  ))
)

# Set beta to 0 to fit a separable model with known variables
fit_fs[[1]]$fit$par <- 0

# Store the fitted separable model to 'sim3_mcgf'
sim3_mcgf <- add_base(sim3_mcgf, fit_base_ls = fit_fs)

# Fit a regime-switching Lagrangian model.
fit_lagr_rs <- fit_lagr(
  sim3_mcgf,
  model_ls = list("lagr_tri"),
  par_init_ls = list(
    list(v1 = -50, v2 = 50),
    list(v1 = 100, v2 = 100)
  ),
  par_fixed_ls = list(list(lambda = 0.2, k = 2))
)

# Store the fitted Lagrangian model to 'sim3_mcgf'
sim3_mcgf <- add_lagr(sim3_mcgf, fit_lagr_ls = fit_lagr_rs)
model(sim3_mcgf)
```

**Description**

Generic function for calculating cross-correlation

**Usage**

```
ccfs(x, ...)
```

**Arguments**

`x`                      An **R** object.

`...`                    Additional parameters or attributes.

**Details**

Refer to [ccfs.mcgf\(\)](#) and [ccfs.mcgf\\_rs\(\)](#) for more details.

**Value**

An array of cross-correlations for mcgf objects, or that plus a list of regime-switching cross-correlations for mcgf\_rs objects.

---

|                        |                                                                                       |
|------------------------|---------------------------------------------------------------------------------------|
| <code>ccfs.mcgf</code> | <i>Extract, calculate, or assign cross-correlations for an mcgf or mcgf_rs object</i> |
|------------------------|---------------------------------------------------------------------------------------|

---

**Description**

Extract, calculate, or assign cross-correlations for an mcgf or mcgf\_rs object

**Usage**

```
## S3 method for class 'mcgf'
ccfs(x, lag_max, ncores = 1, replace = FALSE, ...)

## S3 method for class 'mcgf_rs'
ccfs(x, lag_max, ncores = 1, replace = FALSE, ...)

ccfs(x) <- value

add_ccfs(x, lag_max, ncores = 1, ...)
```

**Arguments**

|                      |                                                                                                                           |
|----------------------|---------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>       | An <code>mcgf</code> or <code>mcgf_rs</code> object.                                                                      |
| <code>lag_max</code> | Maximum lag at which to calculate the <code>ccfs</code> .                                                                 |
| <code>ncores</code>  | Number of cpu cores used for computing. The <code>doParallel</code> package is required when <code>ncores &gt; 1</code> . |
| <code>replace</code> | Logical; if <code>TRUE</code> , <code>acfs</code> are recalculated.                                                       |
| <code>...</code>     | Additional parameters or attributes. Not in use.                                                                          |
| <code>value</code>   | Cross-correlations.                                                                                                       |

**Details**

For `mcgf` objects, `ccfs()` computes cross-correlations for each time lag. The output is an array of matrices where each matrix corresponds to the cross-correlation for a time lag.

For `mcgf_rs` objects, `ccfs()` computes regime-switching cross-correlations for each time lag. The output is a list of arrays of matrices where each array in the list corresponds to the cross-correlation for a regime.

`ccfs<-` assigns `ccfs` to `x`.

`add_ccfs()` adds `ccfs` and `sds` to `x`.

**Value**

`ccfs()` returns (regime-switching) cross-correlations. `add_ccfs()` returns the same object with additional attributes of (regime-switching) cross-correlations and (regime-switching) empirical standard deviations.

**Examples**

```
# Calculate ccfs for 'sim1'
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
ccfs(sim1_mcgf, lag_max = 5)

# To use multiple cores, use the `ncores` argument
ccfs(sim1_mcgf, lag_max = 5, ncores = 2)

# Add ccfs and sds to 'sim1_mcgf'
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)
print(sim1_mcgf, "ccfs")
print(sim1_mcgf, "sds")

# Calculate ccfs for 'sim2'
data(sim2)
sim2_mcgf <- mcgf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
ccfs(sim2_mcgf, lag_max = 5)

# Add ccfs and sds to 'sim2_mcgf'
sim2_mcgf <- add_ccfs(sim2_mcgf, lag_max = 5)
print(sim2_mcgf, "ccfs")
print(sim2_mcgf, "sds")
```

---

|        |                                                     |
|--------|-----------------------------------------------------|
| ccf_rs | <i>Calculate regime-switching cross-correlation</i> |
|--------|-----------------------------------------------------|

---

**Description**

Calculate regime-switching cross-correlation

**Usage**

```
ccf_rs(x, y, label, lag_max)
```

**Arguments**

|         |                                            |
|---------|--------------------------------------------|
| x, y    | A univariate numeric time series.          |
| label   | A factor of regime labels.                 |
| lag_max | Maximum lag at which to calculate the ccf. |

**Value**

Cross-correlations for each group in label.

**Examples**

```
set.seed(123)
x <- rnorm(100)
y <- rnorm(100)
label <- sample(1:2, 100, replace = TRUE)
ccf_rs(x, y, label = factor(label), lag_max = 3)
```

---

|      |                                                                                               |
|------|-----------------------------------------------------------------------------------------------|
| ccov | <i>Generic functions for calculating joint covariance/correlation matrix for mcgf objects</i> |
|------|-----------------------------------------------------------------------------------------------|

---

**Description**

Generic functions for calculating joint covariance/correlation matrix for mcgf objects

**Usage**

```
ccov(x, ...)
```

**Arguments**

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

**Details**

Refer to `ccov.mcgf()` and `ccov.mcgf_rs()` for more details.

**Value**

Joint correlation/covariance matrix.

---

|           |                                                                        |
|-----------|------------------------------------------------------------------------|
| ccov.mcgf | <i>Covariance/correlation for joint distribution of an mcgf object</i> |
|-----------|------------------------------------------------------------------------|

---

**Description**

Covariance/correlation for joint distribution of an mcgf object

**Usage**

```
## S3 method for class 'mcgf'
ccov(x, model = c("all", "base", "empirical"), cor = FALSE, ...)
```

**Arguments**

|                    |                                                      |
|--------------------|------------------------------------------------------|
| <code>x</code>     | An mcgf object.                                      |
| <code>model</code> | Which model to use. One of all, base, and empirical. |
| <code>cor</code>   | Logical; if TRUE, correlation is outputted.          |
| <code>...</code>   | Additional arguments. Not in use.                    |

**Value**

Joint covariance/correlation matrix.

**Examples**

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a separable model and store it to 'sim1_mcgf'
fit_sep <- fit_base(
  sim1_mcgf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
  ),
```

```

    par_fixed = c(nugget = 0)
  )
  sim1_mcgrf <- add_base(sim1_mcgrf, fit_base = fit_sep)

  ccov(sim1_mcgrf, model = "base")

```

---

ccov.mcgrs

---

*Covariance/correlation for joint distribution of an mcgrsobject*


---

## Description

Covariance/correlation for joint distribution of an mcgrsobject

## Usage

```

## S3 method for class 'mcgrs'
ccov(x, model = c("all", "base", "empirical"), cor = FALSE, ...)

```

## Arguments

|       |                                                      |
|-------|------------------------------------------------------|
| x     | An mcgrf object.                                     |
| model | Which model to use. One of all, base, and empirical. |
| cor   | Logical; if TRUE, correlation is returned            |
| ...   | Additional arguments. Not in use.                    |

## Value

A list of joint covariance/correlation matrix.

## Examples

```

data(sim2)
sim2_mcgrf <- mcgrs(sim2$data, dists = sim2$dists, label = sim2$label)
sim2_mcgrf <- add_acfs(sim2_mcgrf, lag_max = 5)
sim2_mcgrf <- add_ccfs(sim2_mcgrf, lag_max = 5)

# Fit a regime-switching separable model
fit_sep <- fit_base(
  sim2_mcgrf,
  lag_ls = 5,
  model_ls = "sep",
  par_init_ls = list(list(
    c = 0.000001,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.5
  )),
  par_fixed_ls = list(c(nugget = 0))

```

```

)
sim2_mcgf <- add_base(sim2_mcgf, fit_base_ls = fit_sep)

ccov(sim2_mcgf, model = "base")

```

cor2cov

*Convert correlation to covariance***Description**

Convert correlation to covariance

**Usage**

```

cor2cov(V, sd, empirical = FALSE)

cor2cov_ar(V, sd, empirical = FALSE)

```

**Arguments**

|                        |                                                           |
|------------------------|-----------------------------------------------------------|
| <code>V</code>         | A correlation matrix, usually positive semi-definite.     |
| <code>sd</code>        | A vector of standard deviations.                          |
| <code>empirical</code> | Logical; TRUE if <code>V</code> is empirical correlation. |

**Details**

`cor2cov` converts a matrix. `cor2cov_ar` converts an 3-D array.

**Value**

A covariance matrix or covariance array.

**Examples**

```

V <- matrix(c(1, 0.5, 0.5, 1), ncol = 2)
sd <- 1:2
cor2cov(V, sd)

V_ar <- array(c(1, 0.5, 0.5, 1), dim = c(2, 2, 2))
cor2cov_ar(V_ar, sd)

```

cor\_cauchy

*Calculate Cauchy correlation***Description**

Calculate Cauchy correlation

**Usage**

```
cor_cauchy(x, a, alpha, nu = 1, nugget = 0, is.dist = FALSE)
```

**Arguments**

|         |                                                                            |
|---------|----------------------------------------------------------------------------|
| x       | A numeric vector, matrix, or array.                                        |
| a       | Scale parameter, $a > 0$ .                                                 |
| alpha   | Smooth parameter, $\alpha \in (0, 1]$ .                                    |
| nu      | Power parameter, $\nu > 0$ . Default is 1.                                 |
| nugget  | The nugget effect $\in [0, 1]$ .                                           |
| is.dist | Logical; if TRUE, x is a distance matrix or an array of distance matrices. |

**Details**

The Cauchy correlation function with scale parameter  $a$  and smooth parameter  $\alpha$  has the form

$$C(x) = (1 - \text{nugget})(a|x|^{2\alpha} + 1)^{-\nu} + \text{nugget} \cdot \delta_{x=0},$$

where  $\delta_{x=0}$  is 1 when  $x = 0$  and 0 otherwise.

**Value**

Correlations of the same dimension as x.

**References**

Gneiting, T., and Schlather, M. (2004). Stochastic Models That Separate Fractal Dimension and the Hurst Effect. *SIAM Review*, 46(2), 269–282.

**See Also**

Other correlation functions: [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

**Examples**

```
x <- matrix(c(0, 5, 5, 0), nrow = 2)
cor_cauchy(x, a = 1, alpha = 0.5)

x <- matrix(c(0, 5, 5, 0), nrow = 2)
cor_cauchy(x, a = 1, alpha = 0.5, nugget = 0.3, is.dist = TRUE)
```

cor\_exp

*Calculate exponential correlation***Description**

Calculate exponential correlation

**Usage**

```
cor_exp(x, c, gamma = 1/2, nugget = 0, is.dist = FALSE)
```

**Arguments**

|         |                                                                            |
|---------|----------------------------------------------------------------------------|
| x       | A numeric vector, matrix, or array.                                        |
| c       | Scale parameter, $c > 0$ .                                                 |
| gamma   | Smooth parameter, $\gamma \in (0, 1/2]$ . Default is 1/2.                  |
| nugget  | The nugget effect $\in [0, 1]$ .                                           |
| is.dist | Logical; if TRUE, x is a distance matrix or an array of distance matrices. |

**Details**

The exponential correlation function with scale parameter  $c$  and smooth parameter  $\gamma$  has the form

$$C(x) = (1 - \text{nugget}) \exp(-c|x|^{2\gamma}) + \text{nugget} \cdot \delta_{x=0},$$

where  $\delta_{x=0}$  is 1 when  $x = 0$  and 0 otherwise.

**Value**

Correlations of the same dimension as x.

**References**

Diggle, P. J., Tawn, J. A., & Moyeed, R. A. (1998). Model-Based Geostatistics. Journal of the Royal Statistical Society. Series C (Applied Statistics), 47(3), 299–350.

**See Also**

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

**Examples**

```
x <- matrix(c(0, 5, 5, 0), nrow = 2)
cor_exp(x, c = 0.01, gamma = 0.5)

x <- matrix(c(0, 5, 5, 0), nrow = 2)
cor_exp(x, c = 0.01, gamma = 0.5, nugget = 0.3, is.dist = TRUE)
```

cor\_fs

*Calculate correlation for fully symmetric model***Description**

Calculate correlation for fully symmetric model

**Usage**

```
cor_fs(nugget = 0, c, gamma = 1/2, a, alpha, beta = 0, h, u)
```

**Arguments**

|        |                                                       |
|--------|-------------------------------------------------------|
| nugget | The nugget effect $\in [0, 1]$ .                      |
| c      | Scale parameter of cor_exp, $c > 0$ .                 |
| gamma  | Smooth parameter of cor_exp, $\gamma \in (0, 1/2]$ .  |
| a      | Scale parameter of cor_cauchy, $a > 0$ .              |
| alpha  | Smooth parameter of cor_cauchy, $\alpha \in (0, 1]$ . |
| beta   | Interaction parameter, $\beta \in [0, 1]$ .           |
| h      | Euclidean distance matrix or array.                   |
| u      | Time lag, same dimension as h.                        |

**Details**

The fully symmetric correlation function with interaction parameter  $\beta$  has the form

$$C(\mathbf{h}, u) = \frac{1}{(a|u|^{2\alpha} + 1)} \left( (1 - \text{nugget}) \exp \left( \frac{-c\|\mathbf{h}\|^{2\gamma}}{(a|u|^{2\alpha} + 1)^{\beta\gamma}} \right) + \text{nugget} \cdot \delta_{\mathbf{h}=\mathbf{0}} \right),$$

where  $\|\cdot\|$  is the Euclidean distance, and  $\delta_{x=0}$  is 1 when  $x = 0$  and 0 otherwise. Here  $\mathbf{h} \in \mathbb{R}^2$  and  $u \in \mathbb{R}$ . By default beta = 0 and it reduces to the separable model.

**Value**

Correlations of the same dimension as h and u.

## References

Gneiting, T. (2002). Nonseparable, Stationary Covariance Functions for Space–Time Data, *Journal of the American Statistical Association*, 97:458, 590-600.

## See Also

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

## Examples

```
h <- matrix(c(0, 5, 5, 0), nrow = 2)
u <- matrix(0, nrow = 2, ncol = 2)
cor_fs(c = 0.01, gamma = 0.5, a = 1, alpha = 0.5, beta = 0.5, h = h, u = u)

h <- array(c(0, 5, 5, 0), dim = c(2, 2, 3))
u <- array(rep(0:2, each = 4), dim = c(2, 2, 3))
cor_fs(c = 0.01, gamma = 0.5, a = 1, alpha = 0.5, beta = 0.5, h = h, u = u)
```

---

cor\_lagr\_askey

*Calculate Lagrangian correlation of the Askey form*

---

## Description

Calculate Lagrangian correlation of the Askey form

## Usage

```
cor_lagr_askey(v1, v2, k = 2, h1, h2, u)
```

## Arguments

|    |                                                               |
|----|---------------------------------------------------------------|
| v1 | Prevailing wind, u-component.                                 |
| v2 | Prevailing wind, v-component.                                 |
| k  | Scale parameter of $\ \mathbf{v}\ $ , $k > 0$ . Default is 2. |
| h1 | Horizontal distance matrix or array.                          |
| h2 | Vertical distance matrix or array, same dimension as h1.      |
| u  | Time lag, same dimension as h1.                               |

## Details

The Lagrangian correlation function of the Askey form with parameters  $\mathbf{v} = (v_1, v_2)^\top \in \mathbb{R}^2$  has the form

$$C(\mathbf{h}, u) = \left( 1 - \frac{1}{k\|\mathbf{v}\|} \|\mathbf{h} - u\mathbf{v}\| \right)_+^{3/2},$$

where  $\|\cdot\|$  is the Euclidean distance,  $x_+ = \max(x, 0)$ ,  $\mathbf{h} = (h_1, h_2)^\top \in \mathbb{R}^2$ , and  $k > 0$  is the scale parameter controlling the magnitude of asymmetry in correlation.

**Value**

Correlations of the same dimension as h1.

**References**

Askey, R. (1973). Radial characteristic functions, Tech. Report No. 1262, Math. Research Center, University of Wisconsin-Madison.

**See Also**

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

**Examples**

```
h1 <- matrix(c(0, -5, 5, 0), nrow = 2)
h2 <- matrix(c(0, -8, 8, 0), nrow = 2)
u <- matrix(0.1, nrow = 2, ncol = 2)
cor_lagr_askey(v1 = 5, v2 = 10, h1 = h1, h2 = h2, u = u)

h1 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
h2 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
u <- array(rep(-c(1, 2, 3), each = 4), dim = c(2, 2, 3))
cor_lagr_askey(v1 = 10, v2 = 10, h1 = h1, h2 = h2, u = u)
```

---

cor\_lagr\_exp

---

*Calculate Lagrangian correlation of the exponential form*


---

**Description**

Calculate Lagrangian correlation of the exponential form

**Usage**

```
cor_lagr_exp(v1, v2, k = 2, h1, h2, u)
```

**Arguments**

|    |                                                          |
|----|----------------------------------------------------------|
| v1 | Prevailing wind, u-component.                            |
| v2 | Prevailing wind, v-component.                            |
| k  | Scale parameter of $\ v\ $ , $k > 0$ . Default is 2.     |
| h1 | Horizontal distance matrix or array.                     |
| h2 | Vertical distance matrix or array, same dimension as h1. |
| u  | Time lag, same dimension as h1.                          |

### Details

The Lagrangian correlation function of the exponential form with parameters  $\mathbf{v} = (v_1, v_2)^\top \in \mathbb{R}^2$  has the form

$$C(\mathbf{h}, u) = \exp\left(-\frac{1}{k\|\mathbf{v}\|} \|\mathbf{h} - u\mathbf{v}\|\right),$$

where  $\|\cdot\|$  is the Euclidean distance,  $\mathbf{h} = (h_1, h_2)^\top \in \mathbb{R}^2$ , and  $k > 0$  is the scale parameter controlling the magnitude of asymmetry in correlation.

### Value

Correlations of the same dimension as h1.

### References

Diggle, P. J., Tawn, J. A., & Moyeed, R. A. (1998). Model-Based Geostatistics. Journal of the Royal Statistical Society. Series C (Applied Statistics), 47(3), 299–350.

### See Also

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

### Examples

```
h1 <- matrix(c(0, -5, 5, 0), nrow = 2)
h2 <- matrix(c(0, -8, 8, 0), nrow = 2)
u <- matrix(0.1, nrow = 2, ncol = 2)
cor_lagr_exp(v1 = 5, v2 = 10, h1 = h1, h2 = h2, u = u)

h1 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
h2 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
u <- array(rep(-c(1, 2, 3), each = 4), dim = c(2, 2, 3))
cor_lagr_exp(v1 = 10, v2 = 10, h1 = h1, h2 = h2, u = u)
```

---

cor\_lagr\_tri

---

Calculate Lagrangian correlation of the triangular form

---

### Description

Calculate Lagrangian correlation of the triangular form

### Usage

```
cor_lagr_tri(v1, v2, k = 2, h1, h2, u)
```

**Arguments**

|    |                                                               |
|----|---------------------------------------------------------------|
| v1 | Prevailing wind, u-component.                                 |
| v2 | Prevailing wind, v-component.                                 |
| k  | Scale parameter of $\ \mathbf{v}\ $ , $k > 0$ . Default is 2. |
| h1 | Horizontal distance matrix or array.                          |
| h2 | Vertical distance matrix or array, same dimension as h1.      |
| u  | Time lag, same dimension as h1.                               |

**Details**

The Lagrangian correlation function of the triangular form with parameters  $\mathbf{v} = (v_1, v_2)^\top \in \mathbb{R}^2$  has the form

$$C(\mathbf{h}, u) = \left( 1 - \frac{1}{k\|\mathbf{v}\|} \left| \frac{\mathbf{h}^\top \mathbf{v}}{\|\mathbf{v}\|} - u\|\mathbf{v}\| \right| \right)_+,$$

where  $\|\cdot\|$  is the Euclidean distance,  $x_+ = \max(x, 0)$ ,  $\mathbf{h} = (h_1, h_2)^\top \in \mathbb{R}^2$ , and  $k > 0$  is the scale parameter controlling the magnitude of asymmetry in correlation.

**Value**

Correlations of the same dimension as h1.

**See Also**

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

**Examples**

```
h1 <- matrix(c(0, -5, 5, 0), nrow = 2)
h2 <- matrix(c(0, -8, 8, 0), nrow = 2)
u <- matrix(0.1, nrow = 2, ncol = 2)
cor_lagr_tri(v1 = 5, v2 = 10, h1 = h1, h2 = h2, u = u)

h1 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
h2 <- array(c(0, -10, 10, 0), dim = c(2, 2, 3))
u <- array(rep(-c(1, 2, 3), each = 4), dim = c(2, 2, 3))
cor_lagr_tri(v1 = 10, v2 = 10, h1 = h1, h2 = h2, u = u)
```

cor\_sep

*Calculate correlation for separable model***Description**

Calculate correlation for separable model

**Usage**

```
cor_sep(
  spatial = c("exp", "cauchy"),
  temporal = c("exp", "cauchy"),
  par_s,
  par_t,
  h,
  u
)
```

**Arguments**

|          |                                                                 |
|----------|-----------------------------------------------------------------|
| spatial  | Pure spatial model, exp or cauchy for now.                      |
| temporal | Pure temporal model, exp or cauchy for now.                     |
| par_s    | Parameters for the pure spatial model. Nugget effect supported. |
| par_t    | Parameters for the pure temporal model.                         |
| h        | Euclidean distance matrix or array.                             |
| u        | Time lag, same dimension as h.                                  |

**Details**

The separable model is the product of a pure temporal model,  $C_T(u)$ , and a pure spatial model,  $C_S(\mathbf{h})$ . It is of the form

$$C(\mathbf{h}, u) = C_T(u) [(1 - \text{nugget})C_S(\mathbf{h}) + \text{nugget}\delta_{\mathbf{h}=0}],$$

where  $\delta_{x=0}$  is 1 when  $x = 0$  and 0 otherwise. Here  $\mathbf{h} \in \mathbb{R}^2$  and  $u \in \mathbb{R}$ . Now only exponential and Cauchy correlation models are available.

**Value**

Correlations of the same dimension as h and u.

**References**

Gneiting, T. (2002). Nonseparable, Stationary Covariance Functions for Space–Time Data, *Journal of the American Statistical Association*, 97:458, 590-600.

**See Also**

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_stat\(\)](#), [cor\\_stat\\_rs\(\)](#)

**Examples**

```
h <- matrix(c(0, 5, 5, 0), nrow = 2)
par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
u <- matrix(0, nrow = 2, ncol = 2)
par_t <- list(a = 1, alpha = 0.5)
cor_sep(
  spatial = "exp", temporal = "cauchy", par_s = par_s, par_t = par_t,
  h = h, u = u
)

h <- array(c(0, 5, 5, 0), dim = c(2, 2, 3))
par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
u <- array(rep(0:2, each = 4), dim = c(2, 2, 3))
par_t <- list(a = 1, alpha = 0.5)
cor_sep(
  spatial = "exp", temporal = "cauchy", par_s = par_s, par_t = par_t,
  h = h, u = u
)
```

---

cor\_stat

---

*Calculate general stationary correlation.*


---

**Description**

Calculate general stationary correlation.

**Usage**

```
cor_stat(
  base = c("sep", "fs"),
  lagrangian = c("none", "lagr_tri", "lagr_askey", "lagr_exp"),
  par_base,
  par_lagr,
  lambda,
  h,
  h1,
  h2,
  u,
  base_fixed = FALSE
)
```

### Arguments

|            |                                                                                                  |
|------------|--------------------------------------------------------------------------------------------------|
| base       | Base model, sep or fs for now. Or correlation matrix/array.                                      |
| lagrangian | Lagrangian model, none, lagr_tri, lagr_askey, or lagr_exp.                                       |
| par_base   | Parameters for the base model (symmetric), used only when base_fixed = FALSE.                    |
| par_lagr   | Parameters for the Lagrangian model. Used only when lagrangian is not none.                      |
| lambda     | Weight of the Lagrangian term, $\lambda \in [0, 1]$ .                                            |
| h          | Euclidean distance matrix or array, used only when base_fixed = FALSE.                           |
| h1         | Horizontal distance matrix or array, same dimension as h. Used only when lagrangian is not none. |
| h2         | Vertical distance matrix or array, same dimension as h. Used only when lagrangian is not none.   |
| u          | Time lag, same dimension as h.                                                                   |
| base_fixed | Logical; if TRUE, base is the correlation.                                                       |

### Details

The general station model, a convex combination of a base model and a Lagrangian model, has the form

$$C(\mathbf{h}, u) = (1 - \lambda)C_{\text{Base}}(\mathbf{h}, u) + \lambda C_{\text{Lagr}}(\mathbf{h}, u),$$

where  $\lambda$  is the weight of the Lagrangian term.

If base\_fixed = TRUE, the correlation is of the form

$$C(\mathbf{h}, u) = (1 - \lambda)C_{\text{Base}} + \lambda C_{\text{Lagr}}(\mathbf{h}, u),$$

where base is a correlation matrix/array and par\_base and h are not used.

When lagrangian = "none", lambda must be 0.

### Value

Correlations for the general stationary model. Same dimension of base if base\_fixed = FALSE.

### See Also

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\\_rs\(\)](#)

### Examples

```
par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
par_t <- list(a = 1, alpha = 0.5)
par_base <- list(par_s = par_s, par_t = par_t)
par_lagr <- list(v1 = 5, v2 = 10)
h1 <- matrix(c(0, 5, -5, 0), nrow = 2)
h2 <- matrix(c(0, 8, -8, 0), nrow = 2)
h <- sqrt(h1^2 + h2^2)
u <- matrix(0.1, nrow = 2, ncol = 2)
```

```

cor_stat(
  base = "sep", lagrangian = "lagr_tri", par_base = par_base,
  par_lagr = par_lagr, lambda = 0.8, h = h, h1 = h1, h2 = h2, u = u
)

h1 <- array(c(0, 5, -5, 0), dim = c(2, 2, 3))
h2 <- array(c(0, 8, -8, 0), dim = c(2, 2, 3))
h <- sqrt(h1^2 + h2^2)
u <- array(rep(c(0.1, 0.2, 0.3), each = 4), dim = c(2, 2, 3))
fit_base <- cor_fs(
  nugget = 0.5, c = 0.01, gamma = 0.5, a = 1, alpha = 0.5,
  beta = 0.0, h = h, u = u
)
par_lagr <- list(v1 = 5, v2 = 10)
cor_stat(
  base = fit_base, lagrangian = "lagr_askey", par_lagr = par_lagr,
  h1 = h1, h2 = h2, u = u, lambda = 0.8, base_fixed = TRUE
)

```

---

cor\_stat\_rs

*Calculate general stationary correlation.*


---

## Description

Calculate general stationary correlation.

## Usage

```

cor_stat_rs(
  n_regime,
  base_ls,
  lagrangian_ls,
  par_base_ls,
  par_lagr_ls,
  lambda_ls,
  h_ls,
  h1_ls,
  h2_ls,
  u_ls,
  base_fixed = FALSE
)

```

## Arguments

|          |                                                                                |
|----------|--------------------------------------------------------------------------------|
| n_regime | Integer, number of regimes.                                                    |
| base_ls  | List of base model, sep or fs for now. Or list of correlation matrices/arrays. |

|               |                                                                                                                |
|---------------|----------------------------------------------------------------------------------------------------------------|
| lagrangian_ls | List of Lagrangian models. Each element can be none, lagr_tri, lagr_askey, or lagr_exp.                        |
| par_base_ls   | List of parameters for the base model, used only when base_fixed = FALSE.                                      |
| par_lagr_ls   | List of parameters for the Lagrangian model. Used only when lagrangian_ls is not none.                         |
| lambda_ls     | List of weight of the Lagrangian term, $\lambda \in [0, 1]$ .                                                  |
| h_ls          | List of Euclidean distance matrix or array, used only when base_fixed = FALSE.                                 |
| h1_ls         | List of horizontal distance matrix or array, same dimension as h_ls. Used only when lagrangian_ls is not none. |
| h2_ls         | List of vertical distance matrix or array, same dimension as h_ls. Used only when lagrangian_ls is not none.   |
| u_ls          | List of time lag, same dimension as h_ls.                                                                      |
| base_fixed    | Logical; if TRUE, base_ls is the list of correlation.                                                          |

### Details

It gives a list of general stationary correlation for `n_regime` regimes. See [cor\\_stat](#) for the model details. Model parameters are lists of length 1 or `n_regime`. When length is 1, same values are used for all regimes. If `base_fixed = TRUE`, the base is a list of correlation and `par_base_ls` and `h_ls` are not used.

### Value

Correlations for the general stationary model. Same dimension of `base_ls` if `base_fixed = TRUE`.

### See Also

Other correlation functions: [cor\\_cauchy\(\)](#), [cor\\_exp\(\)](#), [cor\\_fs\(\)](#), [cor\\_lagr\\_askey\(\)](#), [cor\\_lagr\\_exp\(\)](#), [cor\\_lagr\\_tri\(\)](#), [cor\\_sep\(\)](#), [cor\\_stat\(\)](#)

### Examples

```
# Fit general stationary model with sep base.
par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
par_t <- list(a = 1, alpha = 0.5)
par_base <- list(par_s = par_s, par_t = par_t)
h1 <- array(c(0, 5, -5, 0), dim = c(2, 2, 3))
h2 <- array(c(0, 8, -8, 0), dim = c(2, 2, 3))
h <- sqrt(h1^2 + h2^2)
u <- array(rep(c(1, 2, 3), each = 4), dim = c(2, 2, 3))
cor_stat_rs(
  n_regime = 2,
  base_ls = list("sep"),
  lagrangian_ls = list("none", "lagr_tri"),
  par_base_ls = list(par_base),
  par_lagr_ls = list(NULL, list(v1 = 10, v2 = 20)),
  lambda_ls = list(0, 0.2),
  h_ls = list(h),
```

```

    h1_ls = list(NULL, h1),
    h2_ls = list(NULL, h2),
    u_ls = list(u, u + 1)
  )

  # Fit general stationary model given fs as the base model.
  h1 <- array(c(0, 5, -5, 0), dim = c(2, 2, 3))
  h2 <- array(c(0, 8, -8, 0), dim = c(2, 2, 3))
  h <- sqrt(h1^2 + h2^2)
  u <- array(rep(c(0.1, 0.2, 0.3), each = 4), dim = c(2, 2, 3))
  fit_base <- cor_fs(
    nugget = 0.5, c = 0.01, gamma = 0.5, a = 1, alpha = 0.5,
    beta = 0.0, h = h, u = u
  )
  par_lagr <- list(v1 = 5, v2 = 10)
  cor_stat_rs(
    n_regime = 2,
    par_lagr_ls = list(par_lagr),
    h1_ls = list(h1),
    h2_ls = list(h2),
    u_ls = list(u, u + 1),
    lambda_ls = list(0, 0.8),
    base_ls = list(fit_base),
    lagrangian_ls = list("lagr_tri", "lagr_askey"),
    base_fixed = TRUE
  )

```

---

dists

*Generic function for calculating distance matrices*


---

### Description

Generic function for calculating distance matrices

### Usage

```
dists(x, ...)
```

### Arguments

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

### Value

A list of signed distance matrices: h (Euclidean), h1 (horizontal), and h2 (vertical) with the same dimensions.

dists.mcgf

*Calculating distance matrices for an mcgf object***Description**

Calculating distance matrices for an mcgf object

**Usage**

```
## S3 method for class 'mcgf'
dists(x, return_grid = FALSE, ...)

dists(x) <- value
```

**Arguments**

|             |                                                                         |
|-------------|-------------------------------------------------------------------------|
| x           | An mcgf object.                                                         |
| return_grid | Logical; used when locations in x are longitudes and latitudes.         |
| ...         | Additional parameters or attributes.                                    |
| value       | List of signed distance matrices, outputted from <code>dists()</code> . |

**Details**

If the dists attribute is available in x, it will be printed. Otherwise dists will be calculated based on the locations attribute.

**Value**

A list of signed distance matrices: h (Euclidean), h1 (horizontal), and h2 (vertical).

**Examples**

```
data <- cbind(S1 = 1:5, S2 = 4:8, S3 = 5:9)
lon <- c(110, 120, 130)
lat <- c(50, 55, 60)
locations <- cbind(lon, lat)

# if locations are longitudes and latitudes
obj <- mcgf(data = data, locations = locations)
obj
dists(obj)
dists(obj) <- dists(obj)
obj

# if locations are just coordinates in a 2D plane:
obj <- mcgf(data = data, locations = locations, longlat = FALSE)
obj
```

```
# calculate distances
dists(obj)

# add distances to the `mcgf` object
dists(obj) <- dists(obj)
obj
```

---

find\_dists

---

*Calculate (signed) distances between coordinates*


---

## Description

Calculate (signed) distances between coordinates

## Usage

```
find_dists(locations, longlat = TRUE, origin = 1L, return_grid = FALSE, ...)
```

## Arguments

|             |                                                                                                                           |
|-------------|---------------------------------------------------------------------------------------------------------------------------|
| locations   | A matrix or data.frame of 2D points, the first column is x/longitude, and the second column is y/latitude.                |
| longlat     | Logical, if TRUE Great Circle (WGS84 ellipsoid) distance; if FALSE, Euclidean distance.                                   |
| origin      | Optional; used when longlat is TRUE. An integer index indicating the reference location which will be used as the origin. |
| return_grid | Logical; used when longlat is TRUE. If TRUE the mapped coordinates on a 2D plane is returned.                             |
| ...         | Optional arguments passed to <code>.find_dists()</code> .                                                                 |

## Details

locations must be a matrix or data.frame containing 2 columns, first column x/longitude, and second column y/latitude. The row names of locations are used as the names of the locations.

If longlat is TRUE, the original coordinates are mapped to a 2D Euclidean plane given the reference location. First, the Great Circle (WGS84 ellipsoid) signed distance matrices are calculated, where the original latitudes are replaced by the the mean of them to find the signed longitudinal distances and the original longitudes are replaced by the the mean of them to find the signed latitudinal distances. Then given the index of a reference location origin, a new set of coordinates in a 2D plane is generated where the coordinates are determined by the signed distances between the locations and the reference location. Finally distance matrices of the new coordinates are outputted.

## Value

A list of distance matrices. If return\_grid is TRUE, a list consists of a list of distance matrices, the mapped 2D grid, and the origin is returned.

**Examples**

```
lon <- c(110, 120, 130)
lat <- c(50, 55, 60)
locations <- cbind(lon, lat)
rownames(locations) <- paste("Site", 1:3)
find_dists(locations)
```

---

|                |                                                         |
|----------------|---------------------------------------------------------|
| find_dists_new | <i>Calculate (signed) distances between coordinates</i> |
|----------------|---------------------------------------------------------|

---

**Description**

Calculate (signed) distances between coordinates

**Usage**

```
find_dists_new(
  locations,
  locations_new,
  longlat = TRUE,
  origin = 1L,
  return_grid = FALSE,
  ...
)
```

**Arguments**

|               |                                                                                                                                                                                                                                                             |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| locations     | A matrix or data.frame of 2D points, the first column is x/longitude, and the second column is y/latitude.                                                                                                                                                  |
| locations_new | A matrix or data.frame of 2D points, the first column is x/longitude, and the second column is y/latitude.                                                                                                                                                  |
| longlat       | Logical, if TRUE Great Circle (WGS84 ellipsoid) distance; if FALSE, Euclidean distance.                                                                                                                                                                     |
| origin        | Optional; used when longlat is TRUE. An integer index indicating the reference location from locations which will be used as the origin. Same origin from find_dists must be used to ensure consistency between outputs from find_dists and find_dists_new. |
| return_grid   | Logical; used when longlat is TRUE. If TRUE the mapped coordinates on a 2D plane for all locations is returned.                                                                                                                                             |
| ...           | Optional arguments passed to <code>.find_dists_new()</code> .                                                                                                                                                                                               |

### Details

locations and locations\_new must be matrices or data.frames containing 2 columns, first column x/longitude, and second column y/latitude. The row names of locations and locations\_new are used as the names of the locations.

If longlat is TRUE, the original coordinates are mapped to a 2D Euclidean plane given the reference location from locations. First, the Great Circle (WGS84 ellipsoid) signed distance matrices are calculated, where the original latitudes are replaced by the the mean of latitudes in locations to find the signed longitudinal distances and the original longitudes are replaced by the the mean of longitudes in locations to find the signed latitudinal distances. Then given the index of a reference location origin, a new set of coordinates in a 2D plane is generated where the coordinates are determined by the signed distances between the locations and the reference location. Finally distance matrices of the new coordinates for all stations are outputted.

### Value

A list of distance matrices for all locations. If return\_grid is TRUE, a list consisting of a list of distance matrices for all locations, the mapped 2D grid for all locations, and the origin is returned.

### Examples

```
lon <- c(110, 120, 130)
lat <- c(50, 55, 60)
locations <- cbind(lon, lat)
rownames(locations) <- paste("Site", 1:3)
find_dists(locations)

locations_new <- c(115, 55)
find_dists_new(locations, locations_new)
```

---

fit\_base

*Fit correlation base models*


---

### Description

Fit correlation base models

### Usage

```
fit_base(x, ...)
```

### Arguments

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

### Details

Refer to [fit\\_base.mcgf\(\)](#) and [fit\\_base.mcgf\\_rs\(\)](#) for more details.

**Value**

A vector of estimated parameters.

---

|               |                                                                                     |
|---------------|-------------------------------------------------------------------------------------|
| fit_base.mcgf | <i>Parameter estimation for symmetric correlation functions for an mcgf object.</i> |
|---------------|-------------------------------------------------------------------------------------|

---

**Description**

Parameter estimation for symmetric correlation functions for an mcgf object.

**Usage**

```
## S3 method for class 'mcgf'
fit_base(
  x,
  lag,
  horizon = 1,
  model = c("spatial", "temporal", "sep", "fs", "none"),
  method = c("wls", "mle"),
  optim_fn = c("nlminb", "optim", "other"),
  par_fixed = NULL,
  par_init,
  lower = NULL,
  upper = NULL,
  other_optim_fn = NULL,
  dists_base = NULL,
  scale_time = 1,
  ...
)
```

**Arguments**

|           |                                                                                                                                    |
|-----------|------------------------------------------------------------------------------------------------------------------------------------|
| x         | An mcgf object containing attributes dists, acfs, ccfs, and sds.                                                                   |
| lag       | Integer time lag.                                                                                                                  |
| horizon   | Integer forecast horizon.                                                                                                          |
| model     | Base model, one of spatial, temporal, sep, fs, none. Only sep and fs are supported when method = mle. If none, NULLs are returned. |
| method    | Parameter estimation methods, weighted least square (wls) or maximum likelihood estimation (mle).                                  |
| optim_fn  | Optimization functions, one of nlminb, optim, other. When optim_fn = other, supply other_optim_fn.                                 |
| par_fixed | Fixed parameters.                                                                                                                  |
| par_init  | Initial values for parameters to be optimized.                                                                                     |

|                |                                                                                                                                                                                           |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| lower          | Optional; lower bounds of parameters.                                                                                                                                                     |
| upper          | Optional: upper bounds of parameters.                                                                                                                                                     |
| other_optim_fn | Optional, other optimization functions. The first two arguments must be initial values for the parameters and a function to be minimized respectively (same as that of optim and nlminb). |
| dists_base     | List of distance matrices. If NULL, dists(x) is used. Must be a matrix or an array of distance matrices.                                                                                  |
| scale_time     | Scale of time unit, default is 1. lag is divided by scale_time for parameter estimation.                                                                                                  |
| ...            | Additional arguments passed to optim_fn.                                                                                                                                                  |

### Details

This function fits the separable and fully symmetric models using weighted least squares and maximum likelihood estimation. Optimization functions such as nlminb and optim are supported. Other functions are also supported by setting optim\_fn = "other" and supplying other\_optim\_fn. lower and upper are lower and upper bounds of parameters in par\_init and default bounds are used if they are not specified.

Note that both wls and mle are heuristic approaches when x contains observations from a subset of the discrete spatial domain, though estimation results are close to that using the full spatial domain for large sample sizes.

### Value

A list containing outputs from optimization functions of optim\_fn.

### See Also

Other functions on fitting an mcgf: [add\\_base.mcgf\(\)](#), [add\\_lagr.mcgf\(\)](#), [fit\\_lagr.mcgf\(\)](#), [krige.mcgf\(\)](#), [krige\\_new.mcgf\(\)](#)

### Examples

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a pure spatial model
fit_spatial <- fit_base(
  sim1_mcgf,
  model = "spatial",
  lag = 5,
  par_init = c(c = 0.001, gamma = 0.5),
  par_fixed = c(nugget = 0)
)
fit_spatial$fit

# Fit a pure temporal model
```

```

fit_temporal <- fit_base(
  sim1_mcgf,
  model = "temporal",
  lag = 5,
  par_init = c(a = 0.3, alpha = 0.5)
)
fit_temporal$fit

# Fit a separable model
fit_sep <- fit_base(
  sim1_mcgf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
  ),
  par_fixed = c(nugget = 0)
)
fit_sep$fit

```

---

|                  |                                                                                        |
|------------------|----------------------------------------------------------------------------------------|
| fit_base.mcgf_rs | <i>Parameter estimation for symmetric correlation functions for an mcgf_rs object.</i> |
|------------------|----------------------------------------------------------------------------------------|

---

## Description

Parameter estimation for symmetric correlation functions for an mcgf\_rs object.

## Usage

```

## S3 method for class 'mcgf_rs'
fit_base(
  x,
  lag_ls,
  horizon = 1,
  model_ls,
  method_ls = "wls",
  optim_fn_ls = "nlminb",
  par_fixed_ls = list(NULL),
  par_init_ls,
  lower_ls = list(NULL),
  upper_ls = list(NULL),
  other_optim_fn_ls = list(NULL),
  dists_base_ls = list(NULL),
  scale_time = 1,
  rs = TRUE,

```

```
    ...
  )
```

### Arguments

|                                |                                                                                                                                                                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>                 | An <code>mcgf_rs</code> object containing attributes <code>dists</code> , <code>acfs</code> , <code>ccfs</code> , and <code>sds</code> .                                                                                                              |
| <code>lag_ls</code>            | List of integer time lags.                                                                                                                                                                                                                            |
| <code>horizon</code>           | Integer forecast horizon.                                                                                                                                                                                                                             |
| <code>model_ls</code>          | List of base models, each element must be one of <code>spatial</code> , <code>temporal</code> , <code>sep</code> , <code>fs</code> . Only <code>sep</code> and <code>fs</code> are supported when <code>mle</code> is used in <code>model_ls</code> . |
| <code>method_ls</code>         | List of parameter estimation methods, weighted least square ( <code>wls</code> ) or maximum likelihood estimation ( <code>mle</code> ).                                                                                                               |
| <code>optim_fn_ls</code>       | List of optimization functions, each element must be one of <code>nlsminb</code> , <code>optim</code> , <code>other</code> . When use <code>other</code> , supply <code>other_optim_fn_ls</code> .                                                    |
| <code>par_fixed_ls</code>      | List of fixed parameters.                                                                                                                                                                                                                             |
| <code>par_init_ls</code>       | List of initial values for parameters to be optimized.                                                                                                                                                                                                |
| <code>lower_ls</code>          | Optional; list of lower bounds of parameters.                                                                                                                                                                                                         |
| <code>upper_ls</code>          | Optional: list of upper bounds of parameters.                                                                                                                                                                                                         |
| <code>other_optim_fn_ls</code> | Optional, list of other optimization functions. The first two arguments must be initial values for the parameters and a function to be minimized respectively (same as that of <code>optim</code> and <code>nlsminb</code> ).                         |
| <code>dists_base_ls</code>     | List of lists of distance matrices. If <code>NULL</code> , <code>dists(x)</code> is used. Each element must be a matrix or an array of distance matrices.                                                                                             |
| <code>scale_time</code>        | Scale of time unit, default is 1. <code>lag</code> is divided by <code>scale_time</code> for parameter estimation.                                                                                                                                    |
| <code>rs</code>                | Logical; if <code>TRUE</code> <code>x</code> is treated as a regime-switching, <code>FALSE</code> if the parameters need to be estimated in a non-regime-switching setting.                                                                           |
| <code>...</code>               | Additional arguments passed to all <code>optim_fn_ls</code> .                                                                                                                                                                                         |

### Details

This functions is the regime-switching variant of `fit_base.mcgf()`. Arguments are in lists. The length of arguments that end in `_ls` must be 1 or the same as the number of regimes in `x`. If the length of an argument is 1, then it is set the same for all regimes. Refer to `fit_base.mcgf()` for more details of the arguments.

Note that both `wls` and `mle` are heuristic approaches when `x` contains observations from a subset of the discrete spatial domain, though estimation results are close to that using the full spatial domain for large sample sizes.

### Value

A list containing outputs from optimization functions of `optim_fn` for each regime.

**See Also**

Other functions on fitting an `mcgf_rs`: `add_base.mcgf_rs()`, `add_lagr.mcgf_rs()`, `fit_lagr.mcgf_rs()`, `krige.mcgf_rs()`, `krige_new.mcgf_rs()`

**Examples**

```
data(sim2)
sim2_mcgf <- mcgf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
sim2_mcgf <- add_acfs(sim2_mcgf, lag_max = 5)
sim2_mcgf <- add_ccfs(sim2_mcgf, lag_max = 5)

# Fit a regime-switching pure spatial model
fit_spatial <-
  fit_base(
    sim2_mcgf,
    lag_ls = 5,
    model_ls = "spatial",
    par_init_ls = list(c(c = 0.00005, gamma = 0.5)),
    par_fixed_ls = list(c(nugget = 0))
  )
lapply(fit_spatial[1:2], function(x) x$fit)

# Fit a regime-switching pure temporal model
fit_temporal <-
  fit_base(
    sim2_mcgf,
    lag_ls = 5,
    model_ls = "temporal",
    par_init_ls = list(
      list(a = 0.8, alpha = 0.8),
      list(a = 0.1, alpha = 0.1)
    )
  )
lapply(fit_temporal[1:2], function(x) x$fit)

# Fit a regime-switching separable model
fit_sep <- fit_base(
  sim2_mcgf,
  lag_ls = 5,
  model_ls = "sep",
  par_init_ls = list(list(
    c = 0.00005,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.5
  )),
  par_fixed_ls = list(c(nugget = 0))
)
lapply(fit_sep[1:2], function(x) x$fit)
```

fit\_lagr

*Fit correlation Lagrangian models***Description**

Fit correlation Lagrangian models

**Usage**

```
fit_lagr(x, ...)
```

**Arguments**

`x`                      An **R** object.  
`...`                    Additional parameters or attributes.

**Details**

Refer to [fit\\_lagr.mcgf\(\)](#) and [fit\\_lagr.mcgf\\_rs\(\)](#) for more details.

**Value**

A vector of estimated parameters.

fit\_lagr.mcgf

*Parameter estimation for Lagrangian correlation functions for an  
mcgf object.*

**Description**

Parameter estimation for Lagrangian correlation functions for an mcgf object.

**Usage**

```
## S3 method for class 'mcgf'
fit_lagr(
  x,
  model = c("lagr_tri", "lagr_askey", "lagr_exp", "none"),
  method = c("wls", "mle"),
  optim_fn = c("nlminb", "optim", "other"),
  par_fixed = NULL,
  par_init,
  lower = NULL,
  upper = NULL,
  other_optim_fn = NULL,
```

```

    dists_base = FALSE,
    dists_lagr = NULL,
    ...
)

```

### Arguments

|                             |                                                                                                                                                                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>              | An <code>mcgf</code> object containing attributes <code>dists</code> , <code>acfs</code> , <code>ccfs</code> , and <code>sds</code> . <code>x</code> must have been passed to <code>add_base()</code> or <code>base&lt;-</code> |
| <code>model</code>          | Base model, one of <code>lagr_tri</code> , <code>lagr_askey</code> , <code>lagr_exp</code> , or <code>none</code> . If <code>none</code> , <code>NULL</code> s are returned.                                                    |
| <code>method</code>         | Parameter estimation methods, weighted least square ( <code>wls</code> ) or maximum likelihood estimation ( <code>mle</code> ).                                                                                                 |
| <code>optim_fn</code>       | Optimization functions, one of <code>nlminb</code> , <code>optim</code> , <code>other</code> . When <code>optim_fn = other</code> , supply <code>other_optim_fn</code> .                                                        |
| <code>par_fixed</code>      | Fixed parameters.                                                                                                                                                                                                               |
| <code>par_init</code>       | Initial values for parameters to be optimized.                                                                                                                                                                                  |
| <code>lower</code>          | Optional; lower bounds of parameters <code>lambda</code> , <code>v1</code> , <code>v2</code> , and <code>k</code> .                                                                                                             |
| <code>upper</code>          | Optional: upper bounds of parameters <code>lambda</code> , <code>v1</code> , <code>v2</code> , and <code>k</code> .                                                                                                             |
| <code>other_optim_fn</code> | Optional, other optimization functions. The first two arguments must be initial values for the parameters and a function to be minimized respectively (same as that of <code>optim</code> and <code>nlminb</code> ).            |
| <code>dists_base</code>     | Logical; if <code>TRUE</code> <code>dists_base</code> from the base model is used as the distance.                                                                                                                              |
| <code>dists_lagr</code>     | List of distance matrices/arrays. Used when <code>dists_base</code> is <code>FALSE</code> . If <code>NULL</code> , <code>dists(x)</code> is used.                                                                               |
| <code>...</code>            | Additional arguments passed to <code>optim_fn</code> .                                                                                                                                                                          |

### Details

This function fits the Lagrangian models using weighted least squares and maximum likelihood estimation. The base model must be fitted first using `add_base()` or `base<-`. Optimization functions such as `nlminb` and `optim` are supported. Other functions are also supported by setting `optim_fn = "other"` and supplying `other_optim_fn`. `lower` and `upper` are lower and upper bounds of parameters in `par_init` and default bounds are used if they are not specified.

Note that both `wls` and `mle` are heuristic approaches when `x` contains observations from a subset of the discrete spatial domain, though estimation results are close to that using the full spatial domain for large sample sizes.

Since parameters for the base model and the Lagrangian model are estimated sequentially, more accurate estimation may be obtained if the full model is fitted all at once.

### Value

A list containing outputs from optimization functions of `optim_fn`.

**See Also**

Other functions on fitting an mcgrf: `add_base.mcgrf()`, `add_lagr.mcgrf()`, `fit_base.mcgrf()`, `krige.mcgrf()`, `krige_new.mcgrf()`

**Examples**

```
data(sim1)
sim1_mcgrf <- mcgrf(sim1$data, dists = sim1$dists)
sim1_mcgrf <- add_acfs(sim1_mcgrf, lag_max = 5)
sim1_mcgrf <- add_ccfs(sim1_mcgrf, lag_max = 5)

# Fit a separable model and store it to 'sim1_mcgrf'
fit_sep <- fit_base(
  sim1_mcgrf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
  ),
  par_fixed = c(nugget = 0)
)
sim1_mcgrf <- add_base(sim1_mcgrf, fit_base = fit_sep)

# Fit a Lagrangian model
fit_lagr <- fit_lagr(
  sim1_mcgrf,
  model = "lagr_tri",
  par_init = c(v1 = 300, v2 = 300, lambda = 0.15),
  par_fixed = c(k = 2)
)
fit_lagr$fit
```

---

|                |                                                                                       |
|----------------|---------------------------------------------------------------------------------------|
| fit_lagr.mcgrs | <i>Parameter estimation for Lagrangian correlation functions for an mcgrs object.</i> |
|----------------|---------------------------------------------------------------------------------------|

---

**Description**

Parameter estimation for Lagrangian correlation functions for an mcgrs object.

**Usage**

```
## S3 method for class 'mcgrs'
fit_lagr(
  x,
  model_ls,
```

```

    method_ls = "wls",
    optim_fn_ls = "nlsminb",
    par_fixed_ls = list(NULL),
    par_init_ls,
    lower_ls = list(NULL),
    upper_ls = list(NULL),
    other_optim_fn_ls = list(NULL),
    dists_base_ls,
    dists_lagr_ls = list(NULL),
    rs = TRUE,
    ...
)

```

### Arguments

|                                |                                                                                                                                                                                                                                    |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>                 | An <code>mcgf_rs</code> object containing attributes <code>dists</code> , <code>acfs</code> , <code>ccfs</code> , and <code>sds</code> . <code>x</code> must have been passed to <code>add_base()</code> or <code>base&lt;-</code> |
| <code>model_ls</code>          | List of base models, each element must be one of <code>lagr_tri</code> , <code>lagr_askey</code> , <code>lagr_exp</code> , or <code>none</code> . If <code>none</code> , <code>NULL</code> s are returned.                         |
| <code>method_ls</code>         | List of parameter estimation methods, weighted least square ( <code>wls</code> ) or maximum likelihood estimation ( <code>mle</code> ).                                                                                            |
| <code>optim_fn_ls</code>       | List of optimization functions, each element must be one of <code>nlsminb</code> , <code>optim</code> , <code>other</code> . When use <code>other</code> , supply <code>other_optim_fn_ls</code>                                   |
| <code>par_fixed_ls</code>      | List of fixed parameters.                                                                                                                                                                                                          |
| <code>par_init_ls</code>       | List of initial values for parameters to be optimized.                                                                                                                                                                             |
| <code>lower_ls</code>          | Optional; list of lower bounds of parameters.                                                                                                                                                                                      |
| <code>upper_ls</code>          | Optional: list of upper bounds of parameters.                                                                                                                                                                                      |
| <code>other_optim_fn_ls</code> | Optional, list of other optimization functions. The first two arguments must be initial values for the parameters and a function to be minimized respectively (same as that of <code>optim</code> and <code>nlsminb</code> ).      |
| <code>dists_base_ls</code>     | List of lists of distance matrices. If <code>NULL</code> , <code>dists(x)</code> is used. Each element must be a matrix or an array of distance matrices.                                                                          |
| <code>dists_lagr_ls</code>     | List of distance matrices/arrays. Used when <code>dists_base</code> is <code>FALSE</code> . If <code>NULL</code> , <code>dists(x)</code> is used.                                                                                  |
| <code>rs</code>                | Logical; if <code>TRUE</code> <code>x</code> is treated as a regime-switching, <code>FALSE</code> if the parameters need to be estimated in a non-regime-switching setting.                                                        |
| <code>...</code>               | Additional arguments passed to <code>optim_fn</code> .                                                                                                                                                                             |

### Details

This functions is the regime-switching variant of `fit_lagr.mcgf()`. Arguments are in lists. The length of arguments that end in `_ls` must be 1 or the same as the number of regimes in `x`. If the length of an argument is 1, then it is set the same for all regimes. Refer to `fit_lagr.mcgf()` for more details of the arguments.

Note that both `wls` and `mle` are heuristic approaches when `x` contains observations from a subset of the discrete spatial domain, though estimation results are close to that using the full spatial domain for large sample sizes.

Since parameters for the base model and the Lagrangian model are estimated sequentially, more accurate estimation may be obtained if the full model is fitted all at once.

### Value

A list containing outputs from optimization functions of `optim_fn`.

### See Also

Other functions on fitting an `mcgrs`: `add_base.mcgrs()`, `add_lagr.mcgrs()`, `fit_base.mcgrs()`, `krige.mcgrs()`, `krige_new.mcgrs()`

### Examples

```
data(sim3)
sim3_mcgrf <- mcgrs(sim3$data, dists = sim3$dists, label = sim3$label)
sim3_mcgrf <- add_acfs(sim3_mcgrf, lag_max = 5)
sim3_mcgrf <- add_ccfs(sim3_mcgrf, lag_max = 5)
```

```
# Fit a fully symmetric model with known variables
```

```
fit_fs <- fit_base(
  sim3_mcgrf,
  lag_ls = 5,
  model_ls = "fs",
  rs = FALSE,
  par_init_ls = list(list(beta = 0)),
  par_fixed_ls = list(list(
    nugget = 0,
    c = 0.05,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.2
  ))
)
```

```
# Set beta to 0 to fit a separable model with known variables
```

```
fit_fs[[1]]$fit$par <- 0
```

```
# Store the fitted separable model to 'sim3_mcgrf'
```

```
sim3_mcgrf <- add_base(sim3_mcgrf, fit_base_ls = fit_fs)
```

```
# Fit a regime-switching Lagrangian model.
```

```
fit_lagr_rs <- fit_lagr(
  sim3_mcgrf,
  model_ls = list("lagr_tri"),
  par_init_ls = list(
    list(v1 = -50, v2 = 50),
    list(v1 = 100, v2 = 100)
  ),
)
```

```

      par_fixed_ls = list(list(lambda = 0.2, k = 2))
    )
    lapply(fit_lagr_rs[1:2], function(x) x$fit)

```

---

|         |                                              |
|---------|----------------------------------------------|
| is.mcgf | <i>Check if an object is an mcgf object.</i> |
|---------|----------------------------------------------|

---

### Description

Check if an object is an mcgf object.

### Usage

```
is.mcgf(x)
```

### Arguments

x                      An Object.

### Value

Logical; TRUE if x is of the mcgf class

### Examples

```

data(sim1)
is.mcgf(sim1)

sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
is.mcgf(sim1_mcgf)

```

---

|            |                                                 |
|------------|-------------------------------------------------|
| is.mcgf_rs | <i>Check if an object is an mcgf_rs object.</i> |
|------------|-------------------------------------------------|

---

### Description

Check if an object is an mcgf\_rs object.

### Usage

```

is.mcgf_rs(x)

as.mcgf_rs(x, label, ncores = 1)

```

**Arguments**

|                     |                                                                                       |
|---------------------|---------------------------------------------------------------------------------------|
| <code>x</code>      | An Object.                                                                            |
| <code>label</code>  | A vector of regime labels. Its length must be the same as the number of rows in data. |
| <code>ncores</code> | Number of cpu cores used for computing in <code>[ccfs()]</code> .                     |

**Value**

`is.mcgrf_rs` returns a logical value; TRUE if `x` is of the `mcgrf_rs` class. `as.mcgrf_rs` coerces an `mcgrf` object to an `mcgrf_rs` object by adding regime labels. Fitted base or Lagrangian models in `x` are kept.

**Examples**

```
data(sim2)
is.mcgrf_rs(sim2)

sim2_mcgrf <- mcgrf(sim2$data, dists = sim2$dists)
is.mcgrf_rs(sim2_mcgrf)

sim2_mcgrf <- mcgrf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
is.mcgrf_rs(sim2_mcgrf)
data(sim2)
sim2_mcgrf <- mcgrf(sim2$data, dists = sim2$dists)
sim2_mcgrf <- as.mcgrf_rs(sim2_mcgrf, label = sim2$label)
```

---

krige

---

*Generic function for computing kriging forecasts*


---

**Description**

Generic function for computing kriging forecasts

**Usage**

```
krige(x, ...)
```

**Arguments**

|                  |                                      |
|------------------|--------------------------------------|
| <code>x</code>   | An <b>R</b> object.                  |
| <code>...</code> | Additional parameters or attributes. |

**Details**

Refer to [krige.mcgrf\(\)](#) and [krige.mcgrf\\_rs\(\)](#) for more details.

**Value**

Kriging results of `x`.

---

|            |                                                     |
|------------|-----------------------------------------------------|
| krige.mcgf | <i>Obtain kriging forecasts for an mcgf object.</i> |
|------------|-----------------------------------------------------|

---

## Description

Obtain kriging forecasts for an mcgf object.

## Usage

```
## S3 method for class 'mcgf'
krige(
  x,
  newdata = NULL,
  model = c("all", "base", "empirical"),
  interval = FALSE,
  level = 0.95,
  ...
)
```

## Arguments

|          |                                                                                                                                     |
|----------|-------------------------------------------------------------------------------------------------------------------------------------|
| x        | An mcgf object.                                                                                                                     |
| newdata  | A data.frame with the same column names as x. If newdata is missing the forecasts at the original data points are returned.         |
| model    | Which model to use. One of all, base, or empirical.                                                                                 |
| interval | Logical; if TRUE, prediction intervals are computed.                                                                                |
| level    | A numeric scalar between 0 and 1 giving the confidence level for the intervals (if any) to be calculated. Used when interval = TRUE |
| ...      | Additional arguments. Give lag and horizon if they are not defined in x for the empirical model.                                    |

## Details

It produces simple kriging forecasts for a zero-mean mcgf. It supports kriging for the empirical model, the base model, and the all model which is the general stationary model with the base and Lagrangian model from x.

When interval = TRUE, a confidence interval for each forecasts and each horizon is given. Note that it does not compute confidence regions.

## Value

A list of kriging forecasts (and prediction intervals).

## See Also

Other functions on fitting an mcgf: [add\\_base.mcgf\(\)](#), [add\\_lagr.mcgf\(\)](#), [fit\\_base.mcgf\(\)](#), [fit\\_lagr.mcgf\(\)](#), [krige\\_new.mcgf\(\)](#)

**Examples**

```

data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a separable model and store it to 'sim1_mcgf'
fit_sep <- fit_base(
  sim1_mcgf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
  ),
  par_fixed = c(nugget = 0)
)
sim1_mcgf <- add_base(sim1_mcgf, fit_base = fit_sep)

# Fit a Lagrangian model
fit_lagr <- fit_lagr(
  sim1_mcgf,
  model = "lagr_tri",
  par_init = c(v1 = 300, v2 = 300, lambda = 0.15),
  par_fixed = c(k = 2)
)

# Store the fitted Lagrangian model to 'sim1_mcgf'
sim1_mcgf <- add_lagr(sim1_mcgf, fit_lagr = fit_lagr)

# Calculate the simple kriging predictions and intervals
sim1_krige <- krige(sim1_mcgf, interval = TRUE)

# Calculate RMSE for each location
rmse <- sqrt(colMeans((sim1_mcgf - sim1_krige$fit)^2, na.rm = TRUE))
rmse

# Calculate MAE for each location
mae <- colMeans(abs(sim1_mcgf - sim1_krige$fit), na.rm = TRUE)
mae

# Calculate POPI for each location
popi <- colMeans(
  sim1_mcgf < sim1_krige$lower | sim1_mcgf > sim1_krige$upper,
  na.rm = TRUE
)
popi

```

---

|               |                                                        |
|---------------|--------------------------------------------------------|
| krige.mcgf_rs | <i>Obtain kriging forecasts for an mcgf_rs object.</i> |
|---------------|--------------------------------------------------------|

---

## Description

Obtain kriging forecasts for an mcgf\_rs object.

## Usage

```
## S3 method for class 'mcgf_rs'
krige(
  x,
  newdata = NULL,
  newlabel = NULL,
  soft = FALSE,
  prob,
  model = c("all", "base", "empirical"),
  interval = FALSE,
  level = 0.95,
  ...
)
```

## Arguments

|          |                                                                                                                                     |
|----------|-------------------------------------------------------------------------------------------------------------------------------------|
| x        | An mcgf_rs object.                                                                                                                  |
| newdata  | A data.frame with the same column names as x. If newdata is missing the forecasts at the original data points are returned.         |
| newlabel | A vector of new regime labels.                                                                                                      |
| soft     | Logical; if true, soft forecasts (and bounds) are produced.                                                                         |
| prob     | Matrix with simplex rows. Number of columns must be the same as unique labels in x.                                                 |
| model    | Which model to use. One of all, base, or empirical.                                                                                 |
| interval | Logical; if TRUE, prediction intervals are computed.                                                                                |
| level    | A numeric scalar between 0 and 1 giving the confidence level for the intervals (if any) to be calculated. Used when interval = TRUE |
| ...      | Additional arguments. Give lag and horizon if they are not defined in x for the empirical model.                                    |

## Details

It produces simple kriging forecasts for a zero-mean mcgf. It supports kriging for the empirical model, the base model, and the all model which is the general stationary model with the base and Lagrangian model from x.

When soft = TRUE, prob will be used to compute the soft forecasts (weighted forecasts). The number of columns must match the number of unique levels in x. The column order must be the

same as the order of regimes as in `levels(attr(x, "label", exact = TRUE))`. If not all regimes are seen in `newlabel`, then only relevant columns in `prob` are used.

When `interval = TRUE`, confidence interval for each forecasts and each horizon is given. Note that it does not compute confidence regions.

### Value

A list of kriging forecasts (and prediction intervals).

### See Also

Other functions on fitting an `mcgrf_rs`: `add_base.mcgrf_rs()`, `add_lagr.mcgrf_rs()`, `fit_base.mcgrf_rs()`, `fit_lagr.mcgrf_rs()`, `krige_new.mcgrf_rs()`

### Examples

```
data(sim2)
sim2_mcgrf <- mcgrf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
sim2_mcgrf <- add_acfs(sim2_mcgrf, lag_max = 5)
sim2_mcgrf <- add_ccfs(sim2_mcgrf, lag_max = 5)

# Fit a regime-switching separable model
fit_sep <- fit_base(
  sim2_mcgrf,
  lag_ls = 5,
  model_ls = "sep",
  par_init_ls = list(list(
    c = 0.00005,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.5
  )),
  par_fixed_ls = list(c(nugget = 0))
)

# Store the fitted separable models to 'sim2_mcgrf'
sim2_mcgrf <- add_base(sim2_mcgrf, fit_base_ls = fit_sep)

# Calculate the simple kriging predictions and intervals
sim2_krige <- krige(sim2_mcgrf, model = "base", interval = TRUE)

# Calculate RMSE for each location
rmse <- sqrt(colMeans((sim2_mcgrf - sim2_krige$fit)^2, na.rm = TRUE))
rmse

# Calculate MAE for each location
mae <- colMeans(abs(sim2_mcgrf - sim2_krige$fit), na.rm = TRUE)
mae

# Calculate POPI for each location
popi <- colMeans(
  sim2_mcgrf < sim2_krige$lower | sim2_mcgrf > sim2_krige$upper,
```

```

      na.rm = TRUE
    )
    popi

```

---

krige\_new

*Generic function for computing kriging forecasts for new locations*


---

### Description

Generic function for computing kriging forecasts for new locations

### Usage

```
krige_new(x, ...)
```

### Arguments

**x**                      An **R** object.

**...**                  Additional parameters or attributes.

### Details

Refer to [krige\\_new.mcgf\(\)](#) and [krige\\_new.mcgf\\_rs\(\)](#) for more details.

### Value

Kriging results of **x**.

---

krige\_new.mcgf

*Obtain kriging forecasts for new locations for an mcgf object.*


---

### Description

Obtain kriging forecasts for new locations for an mcgf object.

### Usage

```

## S3 method for class 'mcgf'
krige_new(
  x,
  newdata = NULL,
  locations_new = NULL,
  dists_new = NULL,
  newdata_new = NULL,
  sds_new = 1,
  model = c("all", "base"),

```

```

    interval = FALSE,
    level = 0.95,
    dists_new_base,
    ...
)

```

## Arguments

|                             |                                                                                                                                                                                                                                                                              |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>x</code>              | An mcgf object.                                                                                                                                                                                                                                                              |
| <code>newdata</code>        | A data.frame with the same column names as <code>x</code> . If <code>newdata</code> is missing the forecasts at the original data points are returned.                                                                                                                       |
| <code>locations_new</code>  | A matrix of data.frame of 2D points of new locations, first column longitude, second column latitude, both in decimal degrees. Supply only if <code>x</code> contains locations. Required when <code>dists_new</code> is not supplied.                                       |
| <code>dists_new</code>      | List of signed distance matrices (vectors) with names <code>h</code> , <code>h1</code> , and <code>'h2'</code> for all locations, with new locations in the end. Each matrix must have the same number of columns. Required when <code>locations_new</code> is not supplied. |
| <code>newdata_new</code>    | Optional; a data.frame with the same number of rows as <code>newdata</code> . It contains the data of the new locations.                                                                                                                                                     |
| <code>sds_new</code>        | The standard deviations of the new locations. Default is 1.                                                                                                                                                                                                                  |
| <code>model</code>          | Which model to use. One of <code>all</code> or <code>base</code> .                                                                                                                                                                                                           |
| <code>interval</code>       | Logical; if TRUE, prediction intervals are computed.                                                                                                                                                                                                                         |
| <code>level</code>          | A numeric scalar between 0 and 1 giving the confidence level for the intervals (if any) to be calculated. Used when <code>interval = TRUE</code> .                                                                                                                           |
| <code>dists_new_base</code> | Optional; a distance array for all locations for the base model, with new locations in the end. Used for the base model.                                                                                                                                                     |
| <code>...</code>            | Additional arguments. Not in use.                                                                                                                                                                                                                                            |

## Details

It produces simple kriging forecasts for a zero-mean mcgf for new locations given their coordinates or relative distances. It supports kriging for the base model and the `all` model which is the general stationary model with the base and Lagrangian model from `x`.

Users can either supply the coordinates via `locations_new`, or a list of distances for all locations via `dists_new`, with new locations at the end. `dists_new` will be used to calculate the new covariance matrices. When `locations_new` is used, make sure `x` contains the attribute `locations` of the coordinates of the old locations. When `dists_new` is used, it should be a list of signed distance matrices of the same dimension, where each row corresponds to the relative distances between a new location and old locations in the same order as they appear in `x`.

If data for the new locations are available, use `newdata_new` to include them and they will be used to calculate the kriging forecasts for the new locations; otherwise only data of the old locations will be used via `newdata`.

When `interval = TRUE`, a confidence interval for each forecasts and each horizon is given. Note that it does not compute confidence regions.

**Value**

A list of kriging forecasts (and prediction intervals) for all locations.

**See Also**

Other functions on fitting an mcgf: [add\\_base.mcgf\(\)](#), [add\\_lagr.mcgf\(\)](#), [fit\\_base.mcgf\(\)](#), [fit\\_lagr.mcgf\(\)](#), [krige.mcgf\(\)](#)

**Examples**

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, locations = sim1$locations)
sim1_mcgf <- add_acfs(sim1_mcgf, lag_max = 5)
sim1_mcgf <- add_ccfs(sim1_mcgf, lag_max = 5)

# Fit a separable model and store it to 'sim1_mcgf'
fit_sep <- fit_base(
  sim1_mcgf,
  model = "sep",
  lag = 5,
  par_init = c(
    c = 0.001,
    gamma = 0.5,
    a = 0.3,
    alpha = 0.5
  ),
  par_fixed = c(nugget = 0)
)
sim1_mcgf <- add_base(sim1_mcgf, fit_base = fit_sep)

# Fit a Lagrangian model
fit_lagr <- fit_lagr(
  sim1_mcgf,
  model = "lagr_tri",
  par_init = c(v1 = 300, v2 = 300, lambda = 0.15),
  par_fixed = c(k = 2)
)

# Store the fitted Lagrangian model to 'sim1_mcgf'
sim1_mcgf <- add_lagr(sim1_mcgf, fit_lagr = fit_lagr)

# Calculate the simple kriging predictions and intervals for all locations
locations_new <- rbind(c(-110, 55), c(-109, 54))
sim1_krige <- krige_new(sim1_mcgf,
  locations_new = locations_new,
  interval = TRUE
)
```

---

|                   |                                                                          |
|-------------------|--------------------------------------------------------------------------|
| krige_new.mcgf_rs | <i>Obtain kriging forecasts for new locations for an mcgf_rs object.</i> |
|-------------------|--------------------------------------------------------------------------|

---

## Description

Obtain kriging forecasts for new locations for an mcgf\_rs object.

## Usage

```
## S3 method for class 'mcgf_rs'
krige_new(
  x,
  newdata = NULL,
  locations_new = NULL,
  dists_new_ls = NULL,
  newdata_new = NULL,
  sds_new_ls = 1,
  newlabel,
  soft = FALSE,
  prob,
  dists_new_base,
  model = c("all", "base"),
  interval = FALSE,
  level = 0.95,
  ...
)
```

## Arguments

|               |                                                                                                                                                                                                                                             |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x             | An mcgf_rs object.                                                                                                                                                                                                                          |
| newdata       | A data.frame with the same column names as x. If newdata is missing the forecasts at the original data points are returned.                                                                                                                 |
| locations_new | A matrix of data.frame of 2D points of new locations, first column longitude, second column latitude, both in decimal degrees. Supply only if x contains locations. Required when dists_new_ls is not supplied.                             |
| dists_new_ls  | List of signed distance matrices (vectors) with names h, h1, and 'h2' for all locations(and for each regime), with new locations in the end. Each matrix must have the same number of columns. Required when locations_new is not supplied. |
| newdata_new   | Optional; a data.frame with the same number of rows as newdata. It contains the data of the new locations.                                                                                                                                  |
| sds_new_ls    | List of the standard deviations of the new locations for each regime. Format must be the same as the output from <a href="#">sds.mcgf_rs()</a> . Default is 1 for all regimes.                                                              |
| newlabel      | A vector of new regime labels.                                                                                                                                                                                                              |
| soft          | Logical; if true, soft forecasts (and bounds) are produced.                                                                                                                                                                                 |

|                |                                                                                                                                                             |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| prob           | Matrix with simplex rows. Number of columns must be the same as unique labels in x.                                                                         |
| dists_new_base | Optional, list of distance matrices for the base model. Used when the base model is non-regime switching. Default is h from the first list of dists_new_ls. |
| model          | Which model to use. One of all, base, or empirical.                                                                                                         |
| interval       | Logical; if TRUE, prediction intervals are computed.                                                                                                        |
| level          | A numeric scalar between 0 and 1 giving the confidence level for the intervals (if any) to be calculated. Used when interval = TRUE                         |
| ...            | Additional arguments.                                                                                                                                       |

## Details

It produces simple kriging forecasts for a zero-mean mcgrs for new locations given their coordinates or relative distances. It supports kriging for the base model and the all model which is the general stationary model with the base and Lagrangian model from x.

Users can either supply the coordinates via locations\_new, or a list of distances for all locations via dists\_new\_ls, with new locations at the end. dists\_new\_ls will be used to calculate the new covariance matrices. When locations\_new is used, make sure x contains the attribute locations of the coordinates of the old locations. When dists\_new\_ls is used, it should be a list of a list of signed distance matrices of the same dimension, where each row corresponds to the relative distances between a new location and old locations in the same order as they appear in x. If only one list is provided, it will be used for all regimes.

When soft = TRUE, prob will be used to compute the soft forecasts (weighted forecasts). The number of columns must match the number of unique levels in x. The column order must be the same as the order of regimes as in levels(attr(x, "label", exact = TRUE)). If not all regimes are seen in newlabel, then only relevant columns in prob are used.

When interval = TRUE, confidence interval for each forecasts and each horizon is given. Note that it does not compute confidence regions.

## Value

A list of kriging forecasts (and prediction intervals) for all locations.

## See Also

Other functions on fitting an mcgrs: [add\\_base.mcgrs\(\)](#), [add\\_lagr.mcgrs\(\)](#), [fit\\_base.mcgrs\(\)](#), [fit\\_lagr.mcgrs\(\)](#), [krige.mcgrs\(\)](#)

## Examples

```
data(sim2)
sim2_mcgrs <- mcgrs(sim2$data,
  locations = sim2$locations,
  label = sim2$label
)
sim2_mcgrs <- add_acfs(sim2_mcgrs, lag_max = 5)
sim2_mcgrs <- add_ccfs(sim2_mcgrs, lag_max = 5)
```

```

# Fit a regime-switching separable model
fit_sep <- fit_base(
  sim2_mcgf,
  lag_ls = 5,
  model_ls = "sep",
  par_init_ls = list(list(
    c = 0.00005,
    gamma = 0.5,
    a = 0.5,
    alpha = 0.5
  )),
  par_fixed_ls = list(c(nugget = 0))
)

# Store the fitted separable models to 'sim2_mcgf'
sim2_mcgf <- add_base(sim2_mcgf, fit_base_ls = fit_sep)

# Calculate the simple kriging predictions and intervals for all locations
locations_new <- rbind(c(-110, 55), c(-109, 54))
sim2_krige <- krige_new(sim2_mcgf,
  locations_new = locations_new,
  model = "base", interval = TRUE
)

```

---

mcgf

---

Create mcgf object

---

## Description

Create mcgf object

## Usage

```
mcgf(data, locations, dists, time, longlat = TRUE, origin = 1L)
```

## Arguments

|                        |                                                                                                                                                                                                                                                                            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>data</code>      | Time series data set in space-wide format.                                                                                                                                                                                                                                 |
| <code>locations</code> | A matrix of data.frame of 2D points, first column x/longitude, second column y/latitude. Required when <code>dists</code> is not supplied. If longitudes and latitudes are provided, they are mapped to a 2D Euclidean. See <a href="#">find_dists()</a> for more details. |
| <code>dists</code>     | List of signed distance matrices on a 2D Euclidean Plane. Required when <code>locations</code> is not supplied.                                                                                                                                                            |
| <code>time</code>      | Optional, a vector of equally spaced time stamps.                                                                                                                                                                                                                          |
| <code>longlat</code>   | Logical, if TRUE <code>locations</code> contains longitudes and latitudes.                                                                                                                                                                                                 |
| <code>origin</code>    | Optional; used when <code>longlat</code> is TRUE. An integer index indicating the reference location which will be used as the origin.                                                                                                                                     |

## Details

An `mcgf` object extends the S3 class `data.frame`.

For inputs, data must be in space-wide format where rows correspond to different time stamps and columns refer to spatial locations. Supply either `locations` or `dists`. `locations` is a matrix or `data.frame` of 2D points with first column x/longitude and second column y/latitude. By default it is treated as a matrix of Earth's coordinates in decimal degrees. Number of rows in `locations` must be the same as the number of columns of `data`. `dists` must be a list of signed distance matrices with names `h1`, `h2`, and `h`. If `h` is not given, it will be calculated as the Euclidean distance of `h1` and `h2`. `time` is a vector of equally spaced time stamps. If it is not supplied then data is assumed to be temporally equally spaced.

An `mcgf` object extends the S3 class `data.frame`, all methods remain valid to the data part of the object.

## Value

An S3 object of class `mcgf`. As it inherits and extends the `data.frame` class, all methods remain valid to the data part of the object. Additional attributes may be assigned and extracted.

## Examples

```
data <- cbind(S1 = 1:5, S2 = 4:8, S3 = 5:9)
lon <- c(110, 120, 130)
lat <- c(50, 55, 60)
locations <- cbind(lon, lat)
obj <- mgcf(data, locations = locations)
print(obj, "locations")
```

---

`mcgf_rs`

*Create `mcgf_rs` object*

---

## Description

Create `mcgf_rs` object

## Usage

```
mcgf_rs(data, locations, dists, label, time, longlat = TRUE, origin = 1L)
```

## Arguments

|                        |                                                                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>data</code>      | Time series data set in space-wide format.                                                                                                                                   |
| <code>locations</code> | A matrix of <code>data.frame</code> of 2D points, first column longitude, second column latitude, both in decimal degrees. Required when <code>dists</code> is not supplied. |
| <code>dists</code>     | List of signed distance matrices. Required when <code>locations</code> is not supplied.                                                                                      |
| <code>label</code>     | A vector of regime labels. Its length must be the same as the number of rows in <code>data</code> .                                                                          |

|         |                                                                                                                           |
|---------|---------------------------------------------------------------------------------------------------------------------------|
| time    | Optional, a vector of equally spaced time stamps.                                                                         |
| longlat | Logical, if locations contains longitudes and latitudes.                                                                  |
| origin  | Optional; used when longlat is TRUE. An integer index indicating the reference location which will be used as the origin. |

## Details

An `mcgf_rs` object extends the S3 classes `mcgf` and `data.frame`.

For inputs, data must be in space-wide format where rows correspond to different time stamps and columns refer to spatial locations. Supply either `locations` or `dists`. `locations` is a matrix or `data.frame` of 2D points with first column x/longitude and second column y/latitude. By default it is treated as a matrix of Earth's coordinates in decimal degrees. Number of rows in `locations` must be the same as the number of columns of `data`. `dists` must be a list of signed distance matrices with names `h1`, `h2`, and `h`. If `h` is not given, it will be calculated as the Euclidean distance of `h1` and `h2`. `time` is a vector of equally spaced time stamps. If it is not supplied then data is assumed to be temporally equally spaced. `label` must be a vector containing regime labels, and its length must be the same as the number of rows in `x`.

An `mcgf_rs` object extends the S3 classes `mcgf` and `data.frame`, all methods remain valid to the data part of the object.

## Value

An S3 object of class `mcgf_rs`. As it inherits and extends the `mcgf` and then the `data.frame` class, all methods remain valid to the data part of the object. Additional attributes may be assigned and extracted.

## Examples

```
data <- cbind(S1 = 1:5, S2 = 4:8, S3 = 5:9)
lon <- c(110, 120, 130)
lat <- c(50, 55, 60)
locations <- cbind(lon, lat)
label <- c(1, 1, 2, 2, 2)
obj <- mcgf_rs(data, locations = locations, label = label)
print(obj, "locations")
print(obj, "label")
```

---

`mcgf_rs_sim`

*Simulate regime-switching Markov chain Gaussian field*

---

## Description

Simulate regime-switching Markov chain Gaussian field

**Usage**

```
mcgf_rs_sim(
  N,
  label,
  base_ls,
  lagrangian_ls,
  par_base_ls,
  par_lagr_ls,
  lambda_ls,
  dists_ls,
  sd_ls,
  lag_ls,
  scale_time = 1,
  init = 0,
  mu_c_ls = list(),
  mu_p_ls = list(),
  return_all = FALSE
)
```

**Arguments**

|                  |                                                                                              |
|------------------|----------------------------------------------------------------------------------------------|
| N                | Sample size.                                                                                 |
| label            | Vector of regime labels of the same length as N.                                             |
| base_ls          | List of base model, sep or fs for now.                                                       |
| lagrangian_ls    | List of Lagrangian models. Each element can be none, lagr_tri, lagr_askey, or lagr_exp.      |
| par_base_ls      | List of parameters for the base model.                                                       |
| par_lagr_ls      | List of parameters for the Lagrangian model.                                                 |
| lambda_ls        | List of weight of the Lagrangian term, $\lambda \in [0, 1]$ .                                |
| dists_ls         | List of distance matrices or arrays.                                                         |
| sd_ls            | List of standard deviation for each location.                                                |
| lag_ls           | List of time lags.                                                                           |
| scale_time       | Scale of time unit, default is 1. Elements in lag_ls are divided by scale_time.              |
| init             | Initial samples, default is 0.                                                               |
| mu_c_ls, mu_p_ls | List of means of current and past.                                                           |
| return_all       | Logical; if TRUE the joint covariance matrix, arrays of distances and time lag are returned. |

**Value**

Simulated regime-switching Markov chain Gaussian field with user-specified covariance structures. The simulation is done by kriging. The output data is in space-wide format. Each element in dists\_ls must contain h for symmetric models, and h1 and h2 for general stationary models. init can be a scalar or a vector of appropriate size. List elements in sd\_ls, mu\_c\_ls, and mu\_p\_ls must be vectors of appropriate sizes.

## See Also

Other simulations of Markov chain Gaussian fields: [mcgf\\_sim\(\)](#)

## Examples

```
par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
par_t <- list(a = 1, alpha = 0.5)
par_base <- list(par_s = par_s, par_t = par_t)
par_lagr <- list(v1 = 5, v2 = 10)
h1 <- matrix(c(0, 5, -5, 0), nrow = 2)
h2 <- matrix(c(0, 8, -8, 0), nrow = 2)
h <- sqrt(h1^2 + h2^2)
dists <- list(h = h, h1 = h1, h2 = h2)

set.seed(123)
label <- sample(1:2, 1000, replace = TRUE)
X <- mcgf_rs_sim(
  N = 1000,
  label = label,
  base_ls = list("sep"),
  lagrangian_ls = list("none", "lagr_tri"),
  lambda_ls = list(0, 0.5),
  par_base_ls = list(par_base),
  par_lagr_ls = list(NULL, par_lagr),
  dists_ls = list(dists, dists)
)
# plot.ts(X[, -1])
```

---

mcgf\_sim

---

*Simulate Markov chain Gaussian field*


---

## Description

Simulate Markov chain Gaussian field

## Usage

```
mcgf_sim(
  N,
  base = c("sep", "fs"),
  lagrangian = c("none", "lagr_tri", "lagr_askey", "lagr_exp"),
  par_base,
  par_lagr,
  lambda,
  dists,
  sd = 1,
  lag = 1,
  scale_time = 1,
```

```

    horizon = 1,
    init = 0,
    mu_c = 0,
    mu_p = 0,
    return_all = FALSE
  )

```

## Arguments

|            |                                                                                              |
|------------|----------------------------------------------------------------------------------------------|
| N          | Sample size.                                                                                 |
| base       | Base model, sep or fs for now.                                                               |
| lagrangian | Lagrangian model, none, lagr_tri, lagr_askey, or lagr_exp.                                   |
| par_base   | Parameters for the base model (symmetric).                                                   |
| par_lagr   | Parameters for the Lagrangian model.                                                         |
| lambda     | Weight of the Lagrangian term, $\lambda \in [0, 1]$ .                                        |
| dists      | Distance matrices or arrays.                                                                 |
| sd         | Standard deviation for each location.                                                        |
| lag        | Time lag.                                                                                    |
| scale_time | Scale of time unit, default is 1. lag is divided by scale_time.                              |
| horizon    | Forecast horizon, default is 1.                                                              |
| init       | Initial samples, default is 0.                                                               |
| mu_c, mu_p | Means of current and past.                                                                   |
| return_all | Logical; if TRUE the joint covariance matrix, arrays of distances and time lag are returned. |

## Value

Simulated Markov chain Gaussian field with user-specified covariance structure. The simulation is done by kriging. The output data is in space-wide format. `dists` must contain `h` for symmetric models, and `h1` and `h2` for general stationary models. `horizon` controls forecasting horizon. `sd`, `mu_c`, `mu_p`, and `init` must be vectors of appropriate sizes.

## See Also

Other simulations of Markov chain Gaussian fields: [mcgf\\_rs\\_sim\(\)](#)

## Examples

```

par_s <- list(nugget = 0.5, c = 0.01, gamma = 0.5)
par_t <- list(a = 1, alpha = 0.5)
par_base <- list(par_s = par_s, par_t = par_t)
par_lagr <- list(v1 = 5, v2 = 10)
h1 <- matrix(c(0, 5, -5, 0), nrow = 2)
h2 <- matrix(c(0, 8, -8, 0), nrow = 2)
h <- sqrt(h1^2 + h2^2)
dists <- list(h = h, h1 = h1, h2 = h2)

```

```

set.seed(123)
X <- mcgf_sim(
  N = 1000, base = "sep", lagrangian = "lagr_tri", lambda = 0.5,
  par_base = par_base, par_lagr = par_lagr, dists = dists
)
plot.ts(X)

```

---

|       |                                                                       |
|-------|-----------------------------------------------------------------------|
| model | <i>Generic function for displaying fitted models for mcgf objects</i> |
|-------|-----------------------------------------------------------------------|

---

### Description

Generic function for displaying fitted models for mcgf objects

### Usage

```
model(x, ...)
```

### Arguments

|     |                                      |
|-----|--------------------------------------|
| x   | An <b>R</b> object.                  |
| ... | Additional parameters or attributes. |

### Details

Refer to [model.mcgf\(\)](#) and [model.mcgf\\_rs\(\)](#) for more details.

### Value

Details of the fitted models.

---

|            |                                                            |
|------------|------------------------------------------------------------|
| model.mcgf | <i>Display fitted models for an mcgf or mcgf_rs object</i> |
|------------|------------------------------------------------------------|

---

### Description

Display fitted models for an mcgf or mcgf\_rs object

**Usage**

```
## S3 method for class 'mcgf'
model(
  x,
  model = c("all", "base", "lagrangian"),
  old = FALSE,
  print_model = TRUE,
  ...
)

## S3 method for class 'mcgf_rs'
model(
  x,
  model = c("all", "base", "lagrangian"),
  old = FALSE,
  print_model = TRUE,
  ...
)
```

**Arguments**

|                          |                                                                    |
|--------------------------|--------------------------------------------------------------------|
| <code>x</code>           | An <code>mcgf</code> object.                                       |
| <code>model</code>       | Which model to display.                                            |
| <code>old</code>         | Logical; TRUE if the old model needs to be printed.                |
| <code>print_model</code> | Logical; TRUE if time lag and forecast horizon need to be printed. |
| <code>...</code>         | Additional arguments. Not in use.                                  |

**Details**

For `mcgf` and `mcgf_rs` objects, `model()` displays the fitted models and their parameters. When `old = TRUE`, the old model is printed as well. Note that the old model is not used for parameter estimation or for kriging.

**Value**

None (invisible NULL).

---

|                         |                                           |
|-------------------------|-------------------------------------------|
| <code>print.mcgf</code> | <i>Print an <code>mcgf</code> object.</i> |
|-------------------------|-------------------------------------------|

---

**Description**

Print an `mcgf` object.

**Usage**

```
## S3 method for class 'mcgf'
print(x, attr = ".Data", ...)
```

**Arguments**

|                   |                                      |
|-------------------|--------------------------------------|
| <code>x</code>    | An mcgf object.                      |
| <code>attr</code> | Attribute to be printed.             |
| <code>...</code>  | Optional arguments to print methods. |

**Value**

No return value, called for side effects.

**Examples**

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
print(sim1_mcgf, "dists")
```

---

rdists

*Generate random distance matrices*


---

**Description**

Generate random distance matrices

**Usage**

```
rdists(N, names, scale = 100)
```

**Arguments**

|                    |                                                 |
|--------------------|-------------------------------------------------|
| <code>N</code>     | Number of locations.                            |
| <code>names</code> | Names of locations.                             |
| <code>scale</code> | Scale of the distance matrices. Default is 100. |

**Details**

This function generates random distance matrices using `rnorm`. `scale` controls the scale of the distance matrices.

**Value**

List of signed distances.

**Examples**

```
set.seed(123)
rdists(3)
rdists(3, scale = 1)
rdists(3, names = LETTERS[1:3])
```

sds

*Generic function for standard deviations for each column***Description**

Generic function for standard deviations for each column

**Usage**

```
sds(x, ...)
```

**Arguments**

`x`                      An **R** object.  
`...`                    Additional parameters or attributes.

**Details**

Refer to [sds.mcgf\(\)](#) and [sds.mcgf\\_rs\(\)](#) for more details.

**Value**

A vector of standard deviations for mcgf objects, or that plus a list of regime-switching standard deviations for mcgf\_rs objects.

sds.mcgf

*Extract, calculate, or assign standard deviations for an mcgf or mcgf\_rs object.***Description**

Extract, calculate, or assign standard deviations for an mcgf or mcgf\_rs object.

**Usage**

```
## S3 method for class 'mcgf'
sds(x, ...)

## S3 method for class 'mcgf_rs'
sds(x, replace = FALSE, ...)

sds(x) <- value
```

**Arguments**

|                      |                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------|
| <code>x</code>       | An <code>mcgf</code> or <code>mcgf_rs</code> object.                                                    |
| <code>...</code>     | Additional parameters or attributes. Not in use.                                                        |
| <code>replace</code> | Logical; if TRUE, sds are recalculated.                                                                 |
| <code>value</code>   | A vector (or list of vectors) of standard deviations for all stations (under each regime and combined). |

**Details**

For `mcgf` objects, `sds()` extracts or computes the empirical standard deviations. The output is a vector of sds.

For `mcgf_rs` objects, `sds()` extracts or computes the regime-switching empirical standard deviations. The output is a list of vectors of sds. Each element in the list corresponds to the sds for a regime.

`sds<-` assigns sds to `x`. Use `add_ccfs()` to add both `ccfs` and `sds` to `x`.

**Value**

`sds()` returns empirical (regime-switching) standard deviations.

**Examples**

```
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sds(sim1_mcgf)

data(sim2)
sim2_mcgf <- mcgf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
sds(sim2_mcgf)
data(sim1)
sim1_mcgf <- mcgf(sim1$data, dists = sim1$dists)
sim1_sds <- sds(sim1_mcgf)
sds(sim1_mcgf) <- sim1_sds

data(sim2)
sim2_mcgf <- mcgf_rs(sim2$data, dists = sim2$dists, label = sim2$label)
sim2_sds <- sds(sim2_mcgf)
sds(sim2_mcgf) <- sim2_sds
```

---

sd\_rs

---

*Calculate standard deviation for each location under each regime.*


---

**Description**

Calculate standard deviation for each location under each regime.

**Usage**

```
sd_rs(x, label)
```

**Arguments**

`x` A `data.frame` or `matrix`.

`label` A vector of regime labels. Its length must be the same as the number of rows in `x`.

**Value**

A list of standard deviations for each regime.

**Examples**

```
set.seed(123)
x <- matrix(rnorm(200), nrow = 100)
label <- sample(1:2, 100, replace = TRUE)
sd_rs(x, label = factor(label))
```

---

sim1

*Simulated Markov chain Gaussian field*


---

**Description**

Simulated MCGF for 10 locations.

**Usage**

```
sim1
```

**Format**

`sim1`: a list containing a `data.frame` with 1000 rows and 10 columns and a list of distances

**Details**

`sim1` contains a simulated MCGF for 10 locations. It is simulated with a separable base model and a triangular Lagrangian model. The true parameters for the base model are:  $\text{nugget} = 0, c = 0.001, \gamma = 0.5, a = 0.5, \alpha = 0.8$ , and those for the Lagrangian model are:  $v1 = 200, v2 = 200, k = 2, \lambda = 0.2$

**See Also**

Other (simulated) datasets: [sim2](#), [sim3](#), [wind](#)

## Examples

```
# Code used to generate `sim1`

library(mcgf)
set.seed(123)
x <- stats::rnorm(10, -110)
y <- stats::rnorm(10, 50)
locations <- cbind(x, y)
h <- find_dists(locations, longlat = TRUE)

N <- 1000
lag <- 5

par_base <- list(
  par_s = list(nugget = 0, c = 0.001, gamma = 0.5),
  par_t = list(a = 0.5, alpha = 0.8)
)
par_lagr <- list(v1 = 200, v2 = 200, k = 2)

sim1 <- mcgf_sim(
  N = N, base = "sep", lagrangian = "lagr_tri",
  par_base = par_base, par_lagr = par_lagr, lambda = 0.2,
  dists = h, lag = lag
)
sim1 <- sim1[-c(1:(lag + 1)), ]
rownames(sim1) <- 1:nrow(sim1)

sim1 <- list(data = sim1, locations = locations, dists = h)
```

---

sim2

---

*Simulated regime-switching Markov chain Gaussian field*


---

## Description

Simulated RS-MCGF for 10 locations.

## Usage

```
sim2
```

## Format

sim2: a list containing a data.frame with 1000 rows and 10 columns, a list of distances, and a vector of regime labels.

## Details

sim2 contains a simulated RS-MCGF for 10 locations. It is simulated with a regime-switching separable base model. The true parameters for the base model are:

Regime 1 : nugget = 0,  $c = 0.01$ ,  $\gamma = 0.5$ ,  $a = 0.5$ ,  $\alpha = 0.2$ ,

Regime 2 : nugget = 0,  $c = 0.04$ ,  $\gamma = 0.5$ ,  $a = 0.3$ ,  $\alpha = 0.9$ .

## See Also

Other (simulated) datasets: [sim1](#), [sim3](#), [wind](#)

## Examples

```
# Code used to generate `sim2`

library(mcgf)
set.seed(123)
x <- stats::rnorm(10, -110)
y <- stats::rnorm(10, 50)
locations <- cbind(x, y)
h <- find_dists(locations, longlat = TRUE)

# simulate regimes
K <- 2
N <- 1000
lag <- 5

tran_mat <- matrix(rnorm(K^2, mean = 0.06 / (K - 1), sd = 0.01), nrow = K)
diag(tran_mat) <- rnorm(K, mean = 0.94, sd = 0.1)
tran_mat <- sweep(abs(tran_mat), 1, rowSums(tran_mat), `/\`)
tran_mat
#           [,1]      [,2]
# [1,] 0.94635675 0.05364325
# [2,] 0.06973429 0.93026571

regime <- rep(NA, N)
regime[1] <- 1

for (n in 2:(N)) {
  regime[n] <- sample(1:K, 1, prob = tran_mat[regime[n - 1], ])
}
table(regime)
# regime
#   1   2
# 567 433

# simulate RS MCGF
par_base1 <- list(
  par_s = list(nugget = 0, c = 0.001, gamma = 0.5),
  par_t = list(a = 0.5, alpha = 0.2)
)
```

```

par_base2 <- list(
  par_s = list(nugget = 0, c = 0.004, gamma = 0.5),
  par_t = list(a = 0.3, alpha = 0.9)
)

sim2 <- mcgf_rs_sim(
  N = N, label = regime,
  base_ls = list("sep"), lagrangian_ls = list("none"),
  par_base_ls = list(par_base1, par_base2),
  lambda_ls = list(0.1, 0.3),
  lag_ls = list(lag, lag),
  dists_ls = list(h, h)
)
sim2 <- sim2[-c(1:(lag + 1)), ]
rownames(sim2) <- 1:nrow(sim2)

sim2 <- list(
  data = sim2[, -1], locations = locations, dists = h,
  label = sim2[, 1]
)

```

sim3

*Simulated regime-switching Markov chain Gaussian field***Description**

Simulated RS-MCGF for 20 locations.

**Usage**

```
sim3
```

**Format**

sim3: a list containing a data.frame with 5000 rows and 20 columns and a list of locations.

**Details**

sim3 contains a simulated RS-MCGF for 20 locations. It is simulated with the same base model and a regime-switching Lagrangian model. The true parameters for the base model are:  $\text{nugget} = 0$ ,  $c = 0.05$ ,  $\gamma = 0.5$ ,  $a = 0.5$ ,  $\alpha = 0.2$ , and the true parameters for the Lagrangian model are

$$\text{Regime 1 : } \lambda = 0.2, v_1 = -100, v_2 = 100, k = 2,$$

$$\text{Regime 1 : } \lambda = 0.2, v_1 = 200, v_2 = 200, k = 2.$$

For parameter estimation, the base model is assumed known and is used to estimate the regime-switching prevailing winds.

## See Also

Other (simulated) datasets: [sim1](#), [sim2](#), [wind](#)

## Examples

```
# Code used to generate `sim3`

library(mcgf)
set.seed(123)
x <- stats::rnorm(10, -110)
y <- stats::rnorm(10, 50)
locations <- cbind(x, y)
h <- find_dists(locations, longlat = TRUE)

# simulate regimes
K <- 2
N <- 1000
lag <- 5

tran_mat <- matrix(rnorm(K^2, mean = 0.06 / (K - 1), sd = 0.01), nrow = K)
diag(tran_mat) <- rnorm(K, mean = 0.94, sd = 0.1)
tran_mat <- sweep(abs(tran_mat), 1, rowSums(tran_mat), `/`)
tran_mat
# [,1]      [,2]
# [1,] 0.94635675 0.05364325
# [2,] 0.06973429 0.93026571

regime <- rep(NA, N)
regime[1] <- 1

for (n in 2:(N)) {
  regime[n] <- sample(1:K, 1, prob = tran_mat[regime[n - 1], ])
}
table(regime)
# regime
# 1 2
# 567 433

# simulate RS MCGF
par_base <- list(
  par_s = list(nugget = 0, c = 0.05, gamma = 0.5),
  par_t = list(a = 0.5, alpha = 0.2)
)

par_lagr1 <- list(v1 = -100, v2 = 100, k = 2)
par_lagr2 <- list(v1 = 200, v2 = 200, k = 2)

sim3 <- mcgf_rs_sim(
  N = N, label = regime,
  base_ls = list("sep"), lagrangian_ls = list("lagr_tri"),
  par_base_ls = list(par_base),
  par_lagr_ls = list(par_lagr1, par_lagr2),
```

```

    lambda_ls = list(0.2, 0.2),
    lag_ls = list(lag, lag),
    dists_ls = list(h, h)
  )
  sim3 <- sim3[-c(1:(lag + 1)), ]
  rownames(sim3) <- 1:nrow(sim3)

  sim3 <- list(
    data = sim3[, -1], locations = locations, dists = h,
    label = sim3[, 1]
  )

```

---

wind

---

*Ireland wind data, 1961-1978*


---

## Description

Daily average wind speeds for 1961-1978 at 11 synoptic meteorological stations in the Republic of Ireland (Haslett and Raftery 1989). Wind speeds are in m/s. De-trended data sets are also provided.

## Usage

```
wind
```

## Format

wind: a list containing a data.frame with 6574 rows and 12 columns, and a list of locations.

## Details

The data were obtained from the **gstat** package, and were modified so that the first column is the time stamps. Locations of the 11 stations are given in `wind_loc`. `wind_train` and `wind_test` contain de-trended and square-root transformed train (1961-1970) and test (1971-1978) data sets. See Gneiting et al. (2006) for de-trending details. `wind_trend` contains the estimated annual trend and station-wise mean from the training dataset.

## References

Haslett, J. and Raftery, A. E. (1989). Space-time Modelling with Long-memory Dependence: Assessing Ireland's Wind Power Resource (with Discussion). *Applied Statistics* 38, 1-50.

Gneiting, T., Genton, M., & Guttorp, P. (2006). Geostatistical Space-Time Models, Stationarity, Separability, and Full Symmetry. In *C&H/CRC Monographs on Statistics & Applied Probability* (pp. 151-175). Chapman and Hall/CRC.

## See Also

Other (simulated) datasets: [sim1](#), [sim2](#), [sim3](#)

# Index

- \* **(simulated) datasets**
  - sim1, [69](#)
  - sim2, [70](#)
  - sim3, [72](#)
  - wind, [74](#)
- \* **correlation functions**
  - cor\_cauchy, [20](#)
  - cor\_exp, [21](#)
  - cor\_fs, [22](#)
  - cor\_lagr\_askey, [23](#)
  - cor\_lagr\_exp, [24](#)
  - cor\_lagr\_tri, [25](#)
  - cor\_sep, [27](#)
  - cor\_stat, [28](#)
  - cor\_stat\_rs, [30](#)
- \* **datasets**
  - sim1, [69](#)
  - sim2, [70](#)
  - sim3, [72](#)
  - wind, [74](#)
- \* **functions on fitting a mcgf\_rs**
  - model.mcgf, [64](#)
- \* **functions on fitting a mcgf**
  - model.mcgf, [64](#)
- \* **functions on fitting an mcgf\_rs**
  - add\_base.mcgf\_rs, [8](#)
  - add\_lagr.mcgf\_rs, [12](#)
  - fit\_base.mcgf\_rs, [39](#)
  - fit\_lagr.mcgf\_rs, [44](#)
  - krige.mcgf\_rs, [51](#)
  - krige\_new.mcgf\_rs, [56](#)
- \* **functions on fitting an mcgf**
  - add\_base.mcgf, [6](#)
  - add\_lagr.mcgf, [11](#)
  - fit\_base.mcgf, [37](#)
  - fit\_lagr.mcgf, [42](#)
  - krige.mcgf, [49](#)
  - krige\_new.mcgf, [53](#)
- \* **functions related to acfs and ccfs**
  - ccfs.mcgf, [14](#)
- \* **functions related to calculating acfs and ccfs**
  - acfs.mcgf, [4](#)
- \* **functions related to the class**
  - dists, [32](#)
- \* **simulations of Markov chain Gaussian fields**
  - mcgf\_rs\_sim, [60](#)
  - mcgf\_sim, [62](#)
  - .find\_dists(), [34](#)
  - .find\_dists\_new(), [35](#)
  - 'dists<- ' (dists.mcgf), [33](#)
- acf\_rs, [5](#)
- acfs, [3](#)
- acfs(), [4](#)
- acfs.mcgf, [4](#)
- acfs.mcgf(), [3](#)
- acfs.mcgf\_rs (acfs.mcgf), [4](#)
- acfs.mcgf\_rs(), [3](#)
- acfs<- (acfs.mcgf), [4](#)
- add\_acfs (acfs.mcgf), [4](#)
- add\_acfs(), [4](#)
- add\_base, [6](#)
- add\_base(), [7, 9](#)
- add\_base.mcgf, [6](#)
- add\_base.mcgf(), [6, 7, 9, 11, 38, 44, 49, 55](#)
- add\_base.mcgf\_rs, [8](#)
- add\_base.mcgf\_rs(), [6, 7, 9, 13, 41, 46, 52, 57](#)
- add\_ccfs (ccfs.mcgf), [14](#)
- add\_ccfs(), [15, 68](#)
- add\_lagr, [10](#)
- add\_lagr(), [12](#)
- add\_lagr.mcgf, [11](#)
- add\_lagr.mcgf(), [7, 10, 12, 38, 44, 49, 55](#)
- add\_lagr.mcgf\_rs, [12](#)
- add\_lagr.mcgf\_rs(), [9, 10, 12, 41, 46, 52, 57](#)
- as.mcgf\_rs (is.mcgf\_rs), [47](#)

base<- (add\_base.mcgf), 6  
 ccf\_rs, 16  
 ccfs, 13  
 ccfs(), 15  
 ccfs.mcgf, 14  
 ccfs.mcgf(), 14  
 ccfs.mcgf\_rs(ccfs.mcgf), 14  
 ccfs.mcgf\_rs(), 14  
 ccfs<- (ccfs.mcgf), 14  
 ccov, 16  
 ccov.mcgf, 17  
 ccov.mcgf(), 17  
 ccov.mcgf\_rs, 18  
 ccov.mcgf\_rs(), 17  
 cor2cov, 19  
 cor2cov\_ar(cor2cov), 19  
 cor\_cauchy, 20  
 cor\_cauchy(), 21, 23–26, 28, 29, 31  
 cor\_exp, 21  
 cor\_exp(), 20, 23–26, 28, 29, 31  
 cor\_fs, 22  
 cor\_fs(), 20, 21, 24–26, 28, 29, 31  
 cor\_lagr\_askey, 23  
 cor\_lagr\_askey(), 20, 21, 23, 25, 26, 28, 29, 31  
 cor\_lagr\_exp, 24  
 cor\_lagr\_exp(), 20, 21, 23, 24, 26, 28, 29, 31  
 cor\_lagr\_tri, 25  
 cor\_lagr\_tri(), 20, 21, 23–25, 28, 29, 31  
 cor\_sep, 27  
 cor\_sep(), 20, 21, 23–26, 29, 31  
 cor\_stat, 28, 31  
 cor\_stat(), 20, 21, 23–26, 28, 31  
 cor\_stat\_rs, 30  
 cor\_stat\_rs(), 20, 21, 23–26, 28, 29  
  
 dists, 32  
 dists(), 33  
 dists.mcgf, 33  
 dists<- (dists.mcgf), 33  
  
 find\_dists, 34  
 find\_dists(), 58  
 find\_dists\_new, 35  
 fit\_base, 36  
 fit\_base(), 6–9  
 fit\_base.mcgf, 37  
 fit\_base.mcgf(), 7, 11, 36, 40, 44, 49, 55  
 fit\_base.mcgf\_rs, 39  
 fit\_base.mcgf\_rs(), 9, 13, 36, 46, 52, 57  
 fit\_lagr, 42  
 fit\_lagr(), 11, 12  
 fit\_lagr.mcgf, 42  
 fit\_lagr.mcgf(), 7, 11, 38, 42, 45, 49, 55  
 fit\_lagr.mcgf\_rs, 44  
 fit\_lagr.mcgf\_rs(), 9, 13, 41, 42, 52, 57  
  
 is.mcgf, 47  
 is.mcgf\_rs, 47  
  
 krige, 48  
 krige.mcgf, 49  
 krige.mcgf(), 7, 11, 38, 44, 48, 55  
 krige.mcgf\_rs, 51  
 krige.mcgf\_rs(), 9, 13, 41, 46, 48, 57  
 krige\_new, 53  
 krige\_new.mcgf, 53  
 krige\_new.mcgf(), 7, 11, 38, 44, 49, 53  
 krige\_new.mcgf\_rs, 56  
 krige\_new.mcgf\_rs(), 9, 13, 41, 46, 52, 53  
  
 lagr<- (add\_lagr.mcgf), 11  
  
 mcgf, 58  
 mcgf\_rs, 59  
 mcgf\_rs\_sim, 60  
 mcgf\_rs\_sim(), 63  
 mcgf\_sim, 62  
 mcgf\_sim(), 62  
 model, 64  
 model(), 65  
 model.mcgf, 64  
 model.mcgf(), 64  
 model.mcgf\_rs(model.mcgf), 64  
 model.mcgf\_rs(), 64  
  
 print.mcgf, 65  
  
 rdists, 66  
  
 sd\_rs, 68  
 sds, 67  
 sds(), 68  
 sds.mcgf, 67  
 sds.mcgf(), 67  
 sds.mcgf\_rs(sds.mcgf), 67  
 sds.mcgf\_rs(), 56, 67  
 sds<- (sds.mcgf), 67

sim1, [69](#), [71](#), [73](#), [74](#)

sim2, [69](#), [70](#), [73](#), [74](#)

sim3, [69](#), [71](#), [72](#), [74](#)

wind, [69](#), [71](#), [73](#), [74](#)